

TEXAS WIC FORMULARY AND MEDICAL REASONS FOR ISSUANCE
APRIL 2016

Formula Name	Category	Description	Reasons for Issuance	Maximum Length of Issuance	Manufacturer
Alfamino Infant	Elemental	20 cal/oz when mixed 1 scoop to 1 oz water; hypoallergenic amino acid based elemental. 43% of fat is MCT oil; Similar to Elecare DHA/ARA, Neocate DHA/ARA and PurAmino. Available in PWD.	1) Severe malabsorption 2) GI impairment 3) Food allergies, e.g., allergy to cow's milk, soy, and/or intact protein *Note: A protein hydrolysate (Extensive HA, Nutramigen, Alimentum, or Pregestimil) is recommended before issuing unless medically contraindicated. 4) Medical condition requiring an elemental formula such as: short bowel syndrome, necrotizing enterocolitis, eosinophilic esophagitis, etc.	1 Certification Period	Nestle
Alfamino Junior	Elemental	30 cal/oz, hypoallergenic amino acid based elemental. 63% of fat is MCT oil; Similar to Elecare Jr, Neocate Jr. and PurAmino Toddler. Available in PWD.	1) Severe malabsorption 2) GI impairment 3) Severe food allergies, multiple protein intolerance 4) Medical condition requiring an elemental formula such as: short bowel syndrome, necrotizing enterocolitis, eosinophilic esophagitis, etc. Can only be issued to women and children.	1 Certification Period	Nestle
Alimentum	Protein Hydrolysate	20 cal/oz, casein hydrolysate, hypoallergenic; lactose-free; 33% of fat is MCT oil. RTU contains sucrose and modified tapioca starch. PWD contains corn derivatives. Available in PWD and RTU.	1) Intolerance, sensitivity, or allergy to cow's milk, soy, and/or intact protein 2) Malabsorption 3) Gastroesophageal reflux disease (GERD) 4) Gastroesophageal reflux (GER) with one or more of the following: aspiration or risk of aspiration, respiratory disease (bronchopulmonary dysplasia, reactive airway disease, chronic lung disease, asthma, or pneumonia), poor weight gain or weight loss, esophagitis, or using reflux medications. 5) Food protein induced enterocolitis syndrome (FPIES) RTU may be issued for intolerance to powder, if the RTU form improves compliance, or better accommodates the infants condition.	1 Certification Period	Abbott
BCAD 1	Metabolic	Isoleucine, leucine and valine-free; nutritionally incomplete; 1 scoop (unpacked, level) = 4.5 g powder. Available in PWD.	Maple syrup urine disease (MSUD) in infants or toddlers Initial request requires State Agency approval and metabolic prescription form. Renewals require RD/SA approval and metabolic prescription form.	1 Certification Period	Mead Johnson
BCAD 2	Metabolic	Isoleucine, leucine and valine-free; branched-chain amino acid-free. 24 g protein equivalents/100 g powder. Available in PWD.	Maple syrup urine disease (MSUD) in children or adults Can only be issued to women and children Initial request requires State Agency approval and metabolic prescription form. Renewals require RD/SA approval and metabolic prescription form.	1 Certification Period	Mead Johnson

TEXAS WIC FORMULARY AND MEDICAL REASONS FOR ISSUANCE

APRIL 2016

Formula Name	Category	Description	Reasons for Issuance	Maximum Length of Issuance	Manufacturer
Benecalorie	Modular	220 cal/oz; 330 cal per 1.5 oz ctnr; lactose and cholesterol-free; 7 g of milk protein as calcium caseinate per 1.5 oz serving; not hypoallergenic; liquid modular intended to be added to food or beverage. Available in RTU.	<ol style="list-style-type: none"> 1) Medical condition that increases calorie needs 2) Oral motor feeding problems, volume intolerance, and/or inadequate oral intake. 3) FTT with weight/length, <10% and/or downward crossing of 2 major percentiles Approver note: Limited to 2 cases per month; maximum quantity allows issuance of this product and up to 1/2 package of another formula. System will not allow to be issued < 6 months of age. Requires State Agency approval.	1 Certification Period	Nestle
BetaQuik MCT	Modular	18.9 cal/10 ml; Liquid emulsion of MCT oil; Enteral use only. Available in RTU.	<ol style="list-style-type: none"> 1) Ketogenic diet 2) Medical conditions requiring a source of MCT (medium chain triglycerides). Limit issuance to children 3 or more years of age and adults. Can only be issued to women and children. Requires State Agency approval.	1 Certification Period	Vitaflo
Boost	Increased Calorie Supplement	31 cal/oz, lactose-free and nutritionally complete; similar to Ensure and Nutren. Available in RTU.	<ol style="list-style-type: none"> 1) Medical condition that increases calorie needs 2) Oral motor feeding problems 3) Tube feeding Normally used for adults. If prescribed for a child or for any other reason, consult with local agency RD or State Agency staff. Can only be issued to women and children.	1 Certification Period	Nestle
Boost Breeze	Increased Calorie Supplement	31 cal/oz, milk-based, lactose and fat-free, clear liquid; nutritionally incomplete; 9 g whey protein/8 oz container. Available in RTU.	<ol style="list-style-type: none"> 1) Fat malabsorption 2) Intolerance or refusal of a supplement with a milky consistency 3) Medical condition that increases calories needs 4) Nutrition support for people with cancer, heart disease, pancreatitis, and hyperlipidemia Normally used for children. If prescribed for an infant or for any reason other than that listed above, consult with local agency RD or State Agency staff. System will not allow formula to be issued <9 months of age.	1 Certification Period	Nestle
Boost High Protein	Increased Calorie Supplement	30 cal/oz, high-protein, lactose-free, nutritionally complete; similar to Ensure High Protein. Available in RTU.	Medical conditions that increase protein requirements, such as when recovering from illness, cancers, wounds, and surgery. Can only be issued to women and children.	1 Certification Period	Nestle

TEXAS WIC FORMULARY AND MEDICAL REASONS FOR ISSUANCE

APRIL 2016

Formula Name	Category	Description	Reasons for Issuance	Maximum Length of Issuance	Manufacturer
Boost Plus	Increased Calorie Supplement	46 cal/oz, lactose-free, high-calorie; nutritionally complete; similar to Ensure Plus. Available in RTU.	<ol style="list-style-type: none"> 1) Medical condition that increases calorie needs and/or fluid restriction 2) Oral motor feeding problems 3) Tube feeding 4) Failure to Thrive (FTT) <p>Normally used for adults. If prescribed for a child or for any reason other than that listed above, consult with local agency RD or State Agency staff. Can only be issued to women and children.</p>	1 Certification Period	Nestle
Boost Pudding	Increased Calorie Supplement	240 cal/5 oz, lactose-free; nutritionally complete; similar to Ensure Pudding. Available in RTU.	<ol style="list-style-type: none"> 1) Chewing or swallowing problems (dysphagia) 2) Medical condition that increases calorie needs 3) Fluid restrictions 4) Failure to Thrive (FTT) <p>System will not allow formula to be issued <9 months of age.</p>	1 Certification Period	Nestle
Boost Very High Calorie	Increased Calorie Supplement	66.25 cal/oz; lactose-free; nutritionally complete; suitable for celiac disease. Available in RTU.	<ol style="list-style-type: none"> 1) Medical conditions that increase calorie needs 2) Inadequate growth (at risk for Failure-to-Thrive) 3) Failure-to-Thrive with weight/length or height <10th percentile and/or downward crossing of 2 major percentiles (weight falls more than 2 major percentiles) 4) Oral motor feeding problems, oral aversion, or inability to consume solid foods <p>Typically used when calorie needs are higher than what can be achieved with 30 cal/oz products. Can only be issued to women and children.</p>	1 Certification Period	Nestle

TEXAS WIC FORMULARY AND MEDICAL REASONS FOR ISSUANCE

APRIL 2016

Formula Name	Category	Description	Reasons for Issuance	Maximum Length of Issuance	Manufacturer
Bright Beginnings Soy Pediatric Drink	Increased Calorie Supplement	30 cal/oz, lactose-free, soy-based, with DHA and prebiotics; nutritionally complete; for oral or tube feeding; contains 3 g fiber/8 oz can. Available in RTU.	Cow's milk allergy or intolerance and/or one or more of the following: 1) Medical conditions that increase calorie needs 2) Inadequate growth (at risk for FTT) 3) FTT with weight/length or height <10 and/or downward crossing of 2 major percentiles (wt falls more than 2 major percentiles) 4) Tube feeding 5) Oral motor feeding problems, oral aversion, or inability to consume solid foods 6) Galactosemia Normally used for children. If prescribed for an infant or for any reason other than that listed above, consult with local agency RD or State Agency staff. System will not allow formula to be issued <9 months of age.	1 Certification Period	PBM Products
Calcilo XD	Special Medical Conditions	20 cal/oz, lactose and vitamin D-free, low-calcium; nutritionally complete for all nutrients except calcium, phosphorus and vitamin D. Available in PWD.	1) Osteopetrosis 2) William's syndrome 3) Hypercalcemia and hyperparathyroidism 4) For other reasons contact the State	1 Certification Period	Abbott
Carb Zero	Modular	18.0 cal/10 ml; Liquid emulsion of LCT oil; Enteral use only. Available in RTU.	1) Ketogenic diet 2) Medical conditions requiring a source of LCT (long chain triglycerides) Can only be issued to women and children. Requires State Agency approval.	1 Certification Period	Vitaflo
Compleat	Increased Calorie Supplement	32 cal/oz, blenderized, lactose-free; nutritionally complete, made from foods; 1.5 g fiber/250 mL container. Available in RTU.	Medical condition requiring tube feeding only; Normally used for adults. If prescribed for a child or for any reason other than that listed above, consult with local agency RD or State Agency staff. Can only be issued to women and children.	1 Certification Period	Nestle
Compleat Pediatric	Increased Calorie Supplement	30 cal/oz, blenderized, lactose-free, nutritionally complete, made from foods; 1.7 g fiber/250 mL container. Available in RTU.	Medical condition requiring tube feeding only Normally used for children. If prescribed for an infant or for any reason other than that listed above, consult with local agency RD or State Agency staff. System will not allow formula to be issued <9 months of age.	1 Certification Period	Nestle

TEXAS WIC FORMULARY AND MEDICAL REASONS FOR ISSUANCE
APRIL 2016

Formula Name	Category	Description	Reasons for Issuance	Maximum Length of Issuance	Manufacturer
Compleat Pediatric Reduced Calorie	Special Medical Conditions	17.75 cal/oz; nutritionally complete; made from food with 3.4 g/L soluble fiber and 3.4 g/L of insoluble fiber; tube feeding only. Available in RTU.	Medical condition requiring tube feeding only with decreased calorie needs Can only be issued to women and children.	1 Certification Period	Nestle
Complex Essential MSD	Metabolic	Isoleucine, leucine, and valine-free, nutritionally incomplete; for oral or tube feeding; 380 cal, 3.9 g fiber, and 25 g protein equivalent per 100 g powder; not for infants under 1 year of age. Available in PWD.	Maple Syrup Urine Disease (MSUD) Can only be issued to women and children. Initial request requires State Agency approval and metabolic prescription form. Renewals require RD/SA approval and metabolic prescription form.	1 Certification Period	Nutricia
Complex Junior MSD	Metabolic	Isoleucine, leucine, and valine-free; for oral and tube feeding; 496 cal and 13 g of protein equivalent per 100 g pwd. Available in PWD.	Maple Syrup Urine Disease (MSUD) or beta-ketothiolase deficiency Can only be issued to women and children. Initial request requires State Agency approval and metabolic prescription form. Renewals require RD/SA approval and metabolic prescription form.	1 Certification Period	Nutricia
Complex MSD Amino Acid Blend	Metabolic	Isoleucine, leucine, and valine-free; nutritionally incomplete; for oral or tube feeding; 323 cal and 81 g protein equivalent per 100 g of pwd; not for infants under 1 year of age. Available in PWD.	Maple Syrup Urine Disease (MSUD) Can only be issued to women and children. Initial request requires State Agency approval and metabolic prescription form. Renewals require RD/SA approval and metabolic prescription form.	1 Certification Period	Nutricia

TEXAS WIC FORMULARY AND MEDICAL REASONS FOR ISSUANCE
APRIL 2016

Formula Name	Category	Description	Reasons for Issuance	Maximum Length of Issuance	Manufacturer
Cyclinex 1	Metabolic	Non-essential amino acid and lactose-free; nutritionally incomplete; for infants and children. Available in PWD.	1) HHH Syndrome (ornithine translocase deficiency-hyperornithinemia, hyperammonemia, homocitrullinemia) 2) Defects in urea cycle enzyme 3) Gyrate atrophy of the choroid and retina Initial request requires State Agency approval and metabolic prescription form. Renewals require RD/SA approval and metabolic prescription form.	1 Certification Period	Abbott
Cyclinex 2	Metabolic	Non-essential amino acid and lactose-free; nutritionally incomplete; Available in PWD.	1) HHH Syndrome (ornithine translocase deficiency- hyperornithinemia, hyperammonemia, homecirtrullinuria) 2) Defects in urea cycle enzyme 3) Gyrate atrophy of the choroid and retina Can only be issued to women and children. Initial request requires State Agency approval and metabolic prescription form. Renewals require RD/SA approval and metabolic prescription form.	1 Certification Period	Abbott
DiabetiSource AC	Increased Calorie Supplement	36 cal/oz, lactose-free, made from foods; does not contain sugar alcohols; 3.8 g fiber/250 mL container. Available in RTU.	1) Diabetes Mellitus 2) Glucose intolerance 3) Stress-induced hyperglycemia 4) Diabetes with wounds Can only be issued to women and children. Requires State Agency Approval	1 Certification Period	Nestle
Duocal	Modular	4.9 cal/g, 42 cal/level Tbsp, high-calorie, carbohydrate and fat with no protein, sucrose, fructose or lactose; contains 35% MCT; nutritionally incomplete, for oral and tube feedings. 1 Tbsp = 8.5 g, 1 C = 117 g, 1 scoop = 25 cal, 1 scoop = 5 g. Note: 80 scoops/can; 48 Tbsp/can. Available in PWD.	1) Protein, electrolyte, and/or fluid restriction 2) Medical conditions that increase calorie needs 3) Disorders of protein and amino acid metabolism 4) Malabsorptive states 5) FTT with weight/length or height, <10% and/or downward crossing of 2 major percentiles Requires State Agency approval	1 Certification Period	Nutricia

TEXAS WIC FORMULARY AND MEDICAL REASONS FOR ISSUANCE

APRIL 2016

Formula Name	Category	Description	Reasons for Issuance	Maximum Length of Issuance	Manufacturer
EO28 Splash	Elemental	30 cal/oz, lactose, whey, soy and milk protein-free elemental with 100% free amino acids; for oral or tube feeding; 35% of fat is MCT oil; not intended for infants under 1 year of age. Available in RTU.	<ol style="list-style-type: none"> 1) Severe malabsorption 2) Severe food allergies, multiple protein intolerance 3) GI impairment (eosinophilic esophagitis-EOE, short bowel syndrome - SBS or GERD) 4) Medical condition requiring a hypoallergenic elemental formula Normally used for children over age 1. System will not allow formula to be issued <9 months of age.	1 Certification Period	Nutricia
Elecare DHA/ARA	Elemental	20 cal/oz for infants; hypoallergenic amino acid-based; for oral or tube feeding; does not contain milk or soy protein, fructose, galactose, or lactose; contains 33% MCT oil; similar to Alfamino, Neocate DHA/ARA and PurAmino. Available in PWD.	<ol style="list-style-type: none"> 1) Severe malabsorption 2) GI impairment 3) Food allergies, e.g., allergy to cow's milk, soy, and/or intact protein *Note: A protein hydrolysate (Extensive HA, Nutramigen, Alimentum, or Pregestimil) is recommended before issuing unless medically contraindicated. <ol style="list-style-type: none"> 4) Medical condition requiring an elemental formula such as: short bowel syndrome, necrotizing enterocolitis, eosinophilic esophagitis, etc. 	1 Certification Period	Abbott
EleCare Jr	Elemental	30 cal/oz is the standard dilution for children over 1 year of age; nutritionally complete, hypoallergenic amino acid-based; for oral or tube feeding; does not contain milk or soy protein, fructose, galactose, lactose; contains 33% MCT oil; similar to Alfamino Jr., Neocate Jr. and Puramino Toddler. Available in PWD.	<ol style="list-style-type: none"> 1) Severe malabsorption 2) GI impairment 3) Severe food allergies, multiple protein intolerance 4) Medical condition requiring an elemental formula such as: short bowel syndrome, necrotizing enterocolitis, eosinophilic esophagitis, etc. Can only be issued to women and children.	1 Certification Period	Abbott

TEXAS WIC FORMULARY AND MEDICAL REASONS FOR ISSUANCE
APRIL 2016

Formula Name	Category	Description	Reasons for Issuance	Maximum Length of Issuance	Manufacturer
EnfaCare	Premature/LBW	22 cal/oz, high protein, vitamin, and mineral milk-based, for preterm and/or low birth weight infants; 20% of fat is MCT oil; similar to NeoSure. Available in PWD and RTU.	<p>Prematurity or low birth weight (LBW), Premature infants weighing more than 5 lbs 8 oz at birth - may issue for 1 month with hospital prescription. See birthweight guidelines below.</p> <p>≥ 3 lb 5oz (1500 gm) to ≤ 5lb 8oz (<2500 gm) issue up to 9 months chronological age < 3 lb 5 oz (<1500 gm) issue up to 12 months chronological age If requested outside of these parameters or for other reasons, contact Local RD or the State Agency for approval. RTU may be issued for intolerance to powder, if the RTU form improves compliance, or better accommodates the infants condition.</p>	Variable	Mead Johnson
Enfamil AR	Milk-Based Infant Formula	20 cal/oz, 20:80 whey:casein ratio, milk-based with rice starch and prebiotics; thickening occurs when it comes in contact with stomach acid; similar to Similac for Spit-Up. Available in PWD and RTU.	<p>Documented intolerance to contract formula (Similac Advance and Similac for Spit Up) WITH:</p> <ol style="list-style-type: none"> 1) Chronic or acute medical diagnosis/condition such as: neurological, heart/cardiovascular, respiratory, intestinal disorder (other than allergy or malabsorption), GERD, and syndromes 2) Weight loss, failure to gain weight, or Failure to Thrive that is evidenced by growth chart information (weight/length ≤ 10th percentile), drop in 2 major percentiles on the growth chart 3) Recent hospitalization, recent recovery from or current serious illness (flu, RSV, pneumonia, etc.), recent or pending surgery, and/or recent placement in foster care 4) Severe intolerance symptoms such as vomiting, diarrhea, and blood in the stool that persists after trying available contract formulas <p>After 3 months retrial on a contract formula (Similac Spit-Up preferred) unless medically contraindicated. RTU only allowed for unsafe or unsanitary water supply or inability to correctly dilute powder or concentrate. Contact SA pager for medically fragile infants.</p>	3 months	Mead Johnson

TEXAS WIC FORMULARY AND MEDICAL REASONS FOR ISSUANCE

APRIL 2016

Formula Name	Category	Description	Reasons for Issuance	Maximum Length of Issuance	Manufacturer									
Enfamil Human Milk Fortifier PWD or Acidified Liquid (EHMF)	Premature/LBW	Supplement for mother's milk collected after 2 weeks postpartum; contains milk and soy; similar to Similac HMF; nutritionally incomplete; 70% MCT oil. Available in PWD and RTU.	<p>Fortification of human breast milk for premature/low birth weight babies only</p> <table border="0"> <tr> <td>Additional Calories Desired</td> <td>Preterm Human Milk</td> <td>HMF</td> </tr> <tr> <td>2 cal/ fl oz</td> <td>50 mL</td> <td>1 packet /vial</td> </tr> <tr> <td>4 cal/ fl oz</td> <td>25 mL</td> <td>1 packet /vial</td> </tr> </table> <p>*Acidified Liquid: Do not add EHMF to breast milk in a ratio greater than 1 vial/25mL. Requires State Agency approval.</p>	Additional Calories Desired	Preterm Human Milk	HMF	2 cal/ fl oz	50 mL	1 packet /vial	4 cal/ fl oz	25 mL	1 packet /vial	1 month	Mead Johnson
Additional Calories Desired	Preterm Human Milk	HMF												
2 cal/ fl oz	50 mL	1 packet /vial												
4 cal/ fl oz	25 mL	1 packet /vial												
Enfamil Infant	Milk-Based Infant Formula	20 cal/oz, 60:40 whey:casein ratio, milk-based with prebiotic galactooligosaccharides (GOS) and polydextrose; similar to Similac Advance. Available in PWD, CON, RTU.	<p>Documented intolerance to contract formula (Similac Advance and Similac Sensitive or Similac Total Comfort) WITH:</p> <ol style="list-style-type: none"> 1) Chronic or acute medical diagnosis/condition such as: neurological, heart/cardiovascular, respiratory, intestinal disorder (other than allergy or malabsorption), GERD, and syndromes 2) Weight loss, failure to gain weight, or Failure to Thrive that is evidenced by growth chart information (weight/length \leq 10th percentile), drop in 2 major percentiles on the growth chart 3) Recent hospitalization, recent recovery from or current serious illness (flu, RSV, pneumonia, etc.), recent or pending surgery, and/or recent placement in foster care 4) Severe intolerance symptoms such as vomiting, diarrhea, and blood in the stool that persists after trying available contract formulas <p>After 3 months retri al on a contract formula unless medically contraindicated. RTU only allowed for unsafe or unsanitary water supply or inability to correctly dilute powder or concentrate. Contact SA pager for medically fragile infants.</p>	3 months	Mead Johnson									

TEXAS WIC FORMULARY AND MEDICAL REASONS FOR ISSUANCE

APRIL 2016

Formula Name	Category	Description	Reasons for Issuance	Maximum Length of Issuance	Manufacturer
Enfamil Newborn	Milk-Based Infant Formula	20 cal/oz, 80:20 whey:casein ratio; with prebiotic GOS and polydextrose; contains 400 IU of Vit. D in 27 fl oz. Available in PWD.	Documented intolerance to contract formula (Similac Advance and Similac Sensitive or Similac Total Comfort) WITH: 1) Chronic or acute medical diagnosis/condition such as: neurological, heart/cardiovascular, respiratory, intestinal disorder (other than allergy or malabsorption), GERD, and syndromes 2) Weight loss, failure to gain weight, or Failure to Thrive that is evidenced by growth chart information (weight/length ≤ 10th percentile), drop in 2 major percentiles on the growth chart 3) Recent hospitalization, recent recovery from or current serious illness (flu, RSV, pneumonia, etc.), recent or pending surgery, and/or recent placement in foster care 4) Severe intolerance symptoms such as vomiting, diarrhea, and blood in the stool that persists after trying available contract formulas After 3 months retrial on a contract formula unless medically contraindicated.	3 months	Mead Johnson
Enfamil Premature 24 w/ Iron	Premature/LBW	24 cal/oz, high-protein and mineral formula, whey protein (60:40) dominant; 40% of fat is MCT oil; similar to Similac Special Care 24 w/ Iron. Available in RTU.	Prematurity or very low birth weight (VLBW) When more than 12 oz (355 mL) of 24 calories/fl oz formula is used per day, which may occur in larger infants weighing over 2500 g (5.5 lb) consuming only Enfamil Premature, intake of some nutrients (e.g. fat soluble vitamins) may be excessive. Requires State Agency approval.	1 month	Mead Johnson
Enfamil Premature High Protein 24 w/ Iron	Premature/LBW	24 cal/oz, high-protein and mineral formula, whey protein (60:40) dominant; 40% of fat is MCT oil; 3.5 g protein per 100 cal. Available in RTU.	Prematurity or very low birth weight (VLBW) When more than 12 oz (355 mL) of 24 calories/fl oz formula is used per day, which may occur in larger infants weighing over 2500 g (5.5 lb) consuming only Enfamil Premature, intake of some nutrients (e.g. fat soluble vitamins) may be excessive. Requires State Agency approval.	1 month	Mead Johnson
Enfamil Premature 30	Premature/LBW	30 cal/oz, high protein and mineral (3 g protein/100 cal), carbohydrate blend: 60% corn syrup solids, 40% lactose; 40% of fat is MCT oil; similar to Similac Special Care 30 w/ Iron. Available in RTU.	1) Prematurity or very low birth weight (VLBW) 2) Cardiac disease When more than 12 oz (355mL) of 30 calories/fl oz formula is used per day, which may occur in larger infants weighing over 2500 g (5.5 lb) consuming only Enfamil Premature, intake of some nutrients (e.g. fat soluble vitamins) may be excessive. Requires State Agency approval.	1 month	Mead Johnson

TEXAS WIC FORMULARY AND MEDICAL REASONS FOR ISSUANCE

APRIL 2016

Formula Name	Category	Description	Reasons for Issuance	Maximum Length of Issuance	Manufacturer
Enfaport	Special Medical Conditions	30 cal/oz, lactose-free, milk-based; nutritionally complete; 84% of fat as MCT; similar to Monogen and Portagen but designed for infants. Available in RTU.	1) Chylothorax 2) Fat and long chain fatty acid oxidation disorders, e.g., decreased pancreatic lipase, decreased bile salts, defective mucosal fat absorption, and/or defective lymphatic anomalies, hyperlipoproteinemia Type 1, or long chain 3-hydroxyacyl-CoA dehydrogenase deficiency (LCHAD). 3) Medical conditions requiring high MCT oil	1 Certification Period	Mead Johnson
Ensure	Increased Calorie Supplement	31 cal/oz, lactose-free with prebiotic (scFOS) short-chain fructooligosaccharides, nutritionally complete; 3 g fiber/8 oz container; similar to Boost. Available in RTU.	1) Medical conditions that increase calorie needs 2) Oral motor feeding problems 3) Tube feeding or oral feeding Normally used for adults. If prescribed for a child or for any reason other than that listed above, consult with local agency RD or State Agency staff. Can only be issued to women and children.	1 Certification Period	Abbott
Ensure Clear	Increased Calorie Supplement	31 cal/oz, milk-based, lactose and fat-free, clear liquid; nutritionally incomplete; not for tube feeding; 7 g whey protein/6.8 oz container. Available in RTU.	1) Fat malabsorption or fat-restricted diets 2) Failure to Thrive (FTT) 3) Medical conditions that increase calorie needs 4) Intolerance or refusal of a supplement with a milky consistency Can only be issued to women and children.	1 Certification Period	Abbott
Ensure High Calcium	Increased Calorie Supplement	28 cal/oz, lactose-free, nutritionally complete; 500mg calcium/8 oz container. Available in RTU.	1) Medical conditions increasing risk for fractures. 2) Medical conditions that increase need for calories, protein, calcium, vitamin D and other nutrients. Can only be issued to women and children.	1 Certification Period	Abbott
Ensure High Protein Therapeutic Nutrition	Special Medical Conditions	20 cal/oz, high-protein, lactose-free, nutritionally complete; similar to Boost High Protein. Available in RTU.	Medical conditions that increase calorie needs Can only be issued to women and children.	1 Certification Period	Abbott

TEXAS WIC FORMULARY AND MEDICAL REASONS FOR ISSUANCE

APRIL 2016

Formula Name	Category	Description	Reasons for Issuance	Maximum Length of Issuance	Manufacturer
Ensure Plus	Increased Calorie Supplement	45 cal/oz, nutritionally complete, high calorie, lactose-free; with prebiotic short-chain fructooligosaccharides (scFOS); 3 g fiber/8 oz container; similar to Boost Plus. Available in RTU.	1) Medical conditions that increases calorie needs and/or fluid restriction 2) Oral motor feeding problems 3) Tube feeding Normally used for adults. If prescribed for a child or for any reason other than that listed above, consult with local agency RD or State Agency staff. Can only be issued to women and children.	1 Certification Period	Abbott
Ensure Pudding	Increased Calorie Supplement	170 cal/4 oz; nutritionally complete; lactose-free with prebiotic short-chain fructooligosaccharides (scFOS); similar to Boost Pudding. Available in RTU.	1) Chewing or swallowing problems (dysphagia) 2) Medical condition that increases calorie needs 3) Fluid restrictions 4) Failure to Thrive (FTT) System will not allow formula to be issued <9 months of age.	1 Certification Period	Abbott
Extensive HA	Protein Hydrolysate	20 cal/oz when mixed 1 scoop to 1 oz water; hypoallergenic 100% extensively hydrolyzed whey protein, 49% of fat is MCT oil; contains the probiotic Bifidobacterium lactis and DHA/ARA. Similar to Alimentum, Nutramigen and Pregestimil. Available in PWD.	Intolerance, sensitivity, or allergy to cow's milk, soy, and/or intact protein.	1 Certification Period	Gerber
FiberSource HN	Increased Calorie Supplement	36 cal/oz, high-nitrogen, 100% soy protein with fiber for oral or tube feeding; contains 20% MCT oil; 2.5 g fiber/250 mL container. Available in RTU.	1) Abnormal bowel function, neurologic impairment, or developmental disability requiring additional protein 2) Medical condition that increase calorie or protein needs Requires State Agency approval Can only be issued to women and children	1 Certification Period	Nestle
GA 1 Anamix Early Years	Metabolic	Lysine-free, low tryptophan; Contains iron and DHA/ARA. 12.5 g of protein equivalent per 100 g powder. Available in PWD.	Glutaric aciduria type 1 in infants or children. Initial request requires State Agency approval and metabolic prescription form. Renewals require RD/SA approval and metabolic prescription form.	1 Certification Period	Nutricia

TEXAS WIC FORMULARY AND MEDICAL REASONS FOR ISSUANCE

APRIL 2016

Formula Name	Category	Description	Reasons for Issuance	Maximum Length of Issuance	Manufacturer
GA	Metabolic	Lysine, tryptophan, lactose and galactose-free; 15.1 g protein equivalents/100 g powder. Available in PWD.	Glutaric aciduria (acidemia) type I in infants or children Initial request requires State Agency approval and metabolic prescription form. Renewals require RD/SA approval and metabolic prescription form.	1 Certification Period	Mead Johnson
Gentlease	Milk-Based Infant Formula	20 cal/oz, reduced lactose, partially hydrolyzed 60/40 whey/casein ratio; similar to Similac Total Comfort and Good Start Soothe. Available In PWD, RTU.	Documented intolerance to contract formula (Similac Advance and Similac Sensitive or Similac Total Comfort) WITH: 1) Chronic or acute medical diagnosis/condition such as: neurological, heart/cardiovascular, respiratory, intestinal disorder (other than allergy or malabsorption), GERD, and syndromes 2) Weight loss, failure to gain weight, or Failure to Thrive that is evidenced by growth chart information (weight/length \leq 10th percentile), drop in 2 major percentiles on the growth chart 3) Recent hospitalization, recent recovery from or current serious illness (flu, RSV, pneumonia, etc.), recent or pending surgery, and/or recent placement in foster care 4) Severe intolerance symptoms such as vomiting, diarrhea, and blood in the stool that persists after trying available contract formulas After 3 months retrial on a contract formula (Similac Total Comfort preferred) unless medically contraindicated. RTU only allowed for unsafe or unsanitary water supply or inability to correctly dilute powder or concentrate. Contact SA pager for medically fragile infants.	3 months	Mead Johnson
GlutarAde Amino Acid Blend GA-1	Metabolic	Low in tryptophan, lysine-free; nutritionally incomplete; for oral or tube feeding; not for infants under one year old. Available in PWD.	Glutaric aciduria (acidemia) Type I in children and adults Can only be issued to women and children. Initial request requires State Agency approval and metabolic prescription form. Renewals require RD/SA approval and metabolic prescription form.	1 Certification Period	Nutricia
GlutarAde Jr GA-1 Drink Mix	Metabolic	Low in tryptophan, lysine-free; nutritionally incomplete; for oral or tube feeding.; not for infants under one year old. Available in PWD.	Glutaric aciduria (acidemia) Type I in children, adults, and pregnant women Can only be issued to women and children. Initial request requires State Agency approval and metabolic prescription form. Renewals require RD/SA approval and metabolic prescription form.	1 Certification Period	Nutricia
Glutarex 1	Metabolic	Lysine, tryptophan and lactose-free. Available in PWD.	Glutaric aciduria (acidemia) type I in infants or children Initial request requires State Agency approval and metabolic prescription form. Renewals require RD/SA approval and metabolic prescription form.	1 Certification Period	Abbott

TEXAS WIC FORMULARY AND MEDICAL REASONS FOR ISSUANCE

APRIL 2016

Formula Name	Category	Description	Reasons for Issuance	Maximum Length of Issuance	Manufacturer
Glutarex 2	Metabolic	Lysine, tryptophan and lactose-free. Available in PWD.	Glutaric aciduria (acidemia) type I in children and adults Can only be issued to women and children. Initial request requires State Agency approval and metabolic prescription form. Renewals require RD/SA approval and metabolic prescription form.	1 Certification Period	Abbott
Glytrol	Special Medical Conditions	30 cal/oz, lactose and sucrose-free carbohydrate blend to support glycemic control. Available in RTU.	Diabetes mellitus, abnormal glucose tolerance, or hyperglycemia Can only be issued to women and children. Requires State Agency approval.	1 Certification Period	Nestle
Good Start Gentle	Milk-Based Infant Formula	20 cal/oz, partially hydrolyzed 100% whey protein with prebiotic GOS (galactooligosaccharides). Available in PWD, CON, RTU.	Documented intolerance to contract formula (Similac Advance and Similac Sensitive or Similac Total Comfort) WITH: 1) Chronic or acute medical diagnosis/condition such as: neurological, heart/cardiovascular, respiratory, intestinal disorder (other than allergy or malabsorption), GERD, and syndromes 2) Weight loss, failure to gain weight, or Failure to Thrive that is evidenced by growth chart information (weight/length \leq 10th percentile), drop in 2 major percentiles on the growth chart 3) Recent hospitalization, recent recovery from or current serious illness (flu, RSV, pneumonia, etc.), recent or pending surgery, and/or recent placement in foster care 4) Severe intolerance symptoms such as vomiting, diarrhea, and blood in the stool that persists after trying available contract formulas After 3 months retri al on a contract formula unless medically contraindicated. RTU only allowed for unsafe or unsanitary water supply or inability to correctly dilute powder or concentrate. Contact SA pager for medically fragile infants.	3 Months	Gerber
Good Start Premature 24	Premature/LBW	24cal/oz, high protein and mineral infant formula with partially hydrolyzed 100% whey protein; Similar to Enfamil Premature 24 and Similac Special Care 24. Available in RTU.	Prematurity or low birth weight (LBW) Consult with Primary Healthcare Provider (PCP) when the infant reaches a weight of 8 pounds or consumes 16-24 oz in 24 hours. Requires State Agency approval.	1 month	Gerber

TEXAS WIC FORMULARY AND MEDICAL REASONS FOR ISSUANCE

APRIL 2016

Formula Name	Category	Description	Reasons for Issuance	Maximum Length of Issuance	Manufacturer
Good Start Premature High Protein 24	Premature/LBW	24 cal/oz, high protein and mineral infant formula with partially hydrolyzed 100% whey protein; carbohydrate blend: 50% maltodextrin, 50% lactose; 3.6 g protein/100 cal; similar to Enfamil Premature High Protein. Available in RTU.	Prematurity or low birth weight (LBW) Consult with Primary Healthcare Provider (PCP) when the infant reaches a weight of 8 pounds or consumes 16-24 oz in 24 hours. Requires State Agency approval.	1 month	Gerber
Good Start Premature 30	Premature/LBW	30 cal/oz high protein and mineral infant formula with partially hydrolyzed 100% whey protein. Similar to Enfamil Premature 30 and Special Care 30. Available RTU.	Prematurity or low birth weight (LBW) Consult with Primary Healthcare Provider (PCP) when the infant reaches a weight of 8 pounds or consumes 16-24 oz in 24 hours. Requires State Agency approval.	1 month	Gerber
Good Start Soothe	Milk-Based Infant Formula	20 cal/oz, partially hydrolyzed 100% whey protein; 70% corn maltodextrin and 30% lactose; with probiotic, L. reuteri; similar to Similac Total Comfort and Gentlease. Available in PWD.	Documented intolerance to contract formula (Similac Advance and Similac Sensitive or Similac Total Comfort) WITH: 1) Chronic or acute medical diagnosis/condition such as: neurological, heart/cardiovascular, respiratory, intestinal disorder (other than allergy or malabsorption), GERD, and syndromes 2) Weight loss, failure to gain weight, or Failure to Thrive that is evidenced by growth chart information (weight/length ≤ 10th percentile), drop in 2 major percentiles on the growth chart 3) Recent hospitalization, recent recovery from or current serious illness (flu, RSV, pneumonia, etc.), recent or pending surgery, and/or recent placement in foster care 4) Severe intolerance symptoms such as vomiting, diarrhea, and blood in the stool that persists after trying available contract formulas After 3 months retrial on a contract formula (Similac Total Comfort preferred) unless medically contraindicated.	3 Months	Gerber

TEXAS WIC FORMULARY AND MEDICAL REASONS FOR ISSUANCE

APRIL 2016

Formula Name	Category	Description	Reasons for Issuance	Maximum Length of Issuance	Manufacturer
Good Start Soy	Soy-Based Infant Formula	20 cal/oz, lactose-free, partially hydrolyzed soy protein; Similar to ProSobee and Similac Soy Isomil. Available in PWD, CON, RTU.	Current contract soy-based formula for lactose intolerance or cow's milk allergy. Over age 1 with medical need for soy-based product. Possible reasons include: 1) Cow's milk allergy or intolerance 2) Galactosemia 3) Vegan diet. RX required when over 1 year of age. RTU only allowed for unsafe or unsanitary water supply or inability to correctly dilute powder or concentrate. Contact SA pager for medically fragile infants.	1 Certification Period	Gerber
Graduates Gentle	Milk-Based Infant Formula	20 cal/oz, partially hydrolyzed 100% whey protein with prebiotic galactooligosaccharides (GOS) and additional calcium and iron for toddlers; similar to Similac Go and Grow Milk. Available in PWD.	Over age 1 with medical need for a milk-based product. Possible reasons include: 1) Prematurity 2) Developmental delay 3) Oral-motor feeding problems Can only be issued to women and children.	1 Certification Period	Gerber
Graduates Soy	Soy-Based Infant Formula	20 cal/oz, partially hydrolyzed soy protein with more calcium, phosphorus, and iron per 100 cal than Good Start Soy. Available in PWD.	Over age 1 with medical need for a soy-based product. Possible reasons include: 1) Prematurity 2) Developmental delay 3) Oral-motor feeding problems AND/OR: 4) Allergy or sensitivity to cow's milk, galactosemia, or vegan diet. Can only be issued to women and children.	1 Certification Period <i>DISCONTINUED-DO NOT ISSUE</i>	Gerber
HCU Anamix Early	Metabolic	Methionine and cysteine-free with iron, DHA/ARA and prebiotic fiber blend. Provides 13.5 g of pretein equivalent per 100 g of powder. For oral or tube feeding. Available in PWD.	Vitamin B-6 non-responsive homocystinuria or hypermethioninemia in infants and young children. Initial request requires State Agency approval and metabolic prescription form. Renewals require RD/SA approval and metabolic prescription form.	1 Certification Period	Nutricia

TEXAS WIC FORMULARY AND MEDICAL REASONS FOR ISSUANCE
APRIL 2016

Formula Name	Category	Description	Reasons for Issuance	Maximum Length of Issuance	Manufacturer
HCU Anamix Next	Metabolic	Methionine-free. Contains DHA and prebiotic fiber blend. Available in PWD.	Vitamin B-6 non-responsive homocystinuria or hypermethioninemia in children 1 year of age and up. Initial request requires State Agency approval and metabolic prescription form. Renewals require RD/SA approval and metabolic prescription form.	1 Certification Period	Nutricia
HCY 1	Metabolic	Methionine, lactose and galactose-free, with cysteine and iron; nutritionally incomplete; 16.2 g protein equivalents/100 g powder. Available in PWD.	Homocystinuria in infants or children Initial request requires State Agency approval and metabolic prescription form. Renewals require RD/SA approval and metabolic prescription form.	1 Certification Period	Mead Johnson
HCY 2	Metabolic	Methionine, lactose and galactose-free; nutritionally incomplete; 22 g protein equivalents/100 g powder. Available in PWD.	Homocystinuria in children or adults Can only be issued to women and children. Initial request requires State Agency approval and metabolic prescription form. Renewals require RD/SA approval and metabolic prescription form.	1 Certification Period	Mead Johnson
Hepatic Aid II	Special Medical Conditions	35 cal/oz, high in branched chain amino acids, carbohydrates and fats; phenylalanine and aspartic acid-free; for oral or tube feedings. Available in PWD.	Chronic liver disease. Can only be issued to women and children. Requires SA approval.	1 Certification Period	Hormel Health Labs
HOM 2	Metabolic	Methionine and fat-free. Available in PWD.	Homocystinuria (vitamin B-6 non-responsive) due to cystathionine synthase deficiency Can only be issued to women and children. Initial request requires State Agency approval and metabolic prescription form. Renewals require RD/SA approval and metabolic prescription form.	1 Certification Period	Nutricia
Hominex 1	Metabolic	Methionine and lactose-free. Available in PWD.	Homocystinuria (vitamin B-6 non-responsive) or hypermethioninemia in infants or toddlers Initial request requires State Agency approval and metabolic prescription form. Renewals require RD/SA approval and metabolic prescription form.	1 Certification Period	Abbott

TEXAS WIC FORMULARY AND MEDICAL REASONS FOR ISSUANCE

APRIL 2016

Formula Name	Category	Description	Reasons for Issuance	Maximum Length of Issuance	Manufacturer
Hominex 2	Metabolic	Methionine and lactose-free. Available in PWD.	Homocystinuria (vitamin B-6 non-responsive) or hypermethioninemia in children or adults Can only be issued to women and children. Initial request requires State Agency approval and metabolic prescription form. Renewals require RD/SA approval and metabolic prescription form.	1 Certification Period	Abbott
I Valex 1	Metabolic	Leucine and lactose-free. Available in PWD.	Isovaleric acidemia or other disorders of leucine catabolism in infants or toddlers Initial request requires State Agency approval and metabolic prescription form. Renewals require RD/SA approval and metabolic prescription form.	1 Certification Period	Abbott
I Valex 2	Metabolic	Leucine and lactose-free. Available in PWD.	Isovaleric acidemia or other disorders of leucine catabolism in children or adults Can only be issued to women and children. Initial request requires State Agency approval and metabolic prescription form. Renewals require RD/SA approval and metabolic prescription form.	1 Certification Period	Abbott
Impact	Increased Calorie Supplement	30 cal/oz; lactose-free enteral formula for critically ill adults. Available in RTU.	1) Trauma 2) Post-surgery 3) Burns or wounds 4) Mechanically ventilated 5) Critically ill Can only be issued to women and children. Requires State Agency approval.	1 Certification Period	Nestle
Isosource 1.5	Increased Calorie Supplement	45 cal/oz, lactose-free, high-calorie, high-nitrogen; with 2 g fiber/250 mL container; for oral or tube feedings. Available in RTU.	1) Fluid restriction 2) Higher caloric and protein needs 3) Oral or tube feeding Can only be issued to women and children. Requires State Agency approval.	1 Certification Period	Nestle

TEXAS WIC FORMULARY AND MEDICAL REASONS FOR ISSUANCE

APRIL 2016

Formula Name	Category	Description	Reasons for Issuance	Maximum Length of Issuance	Manufacturer
Isosource HN	Increased Calorie Supplement	36 cal/oz, lactose-free, high-protein, high-nitrogen; nutritionally complete liquid formula with fiber; 13.4 g soy protein/250 mL container; tube feedings only. Available in RTU.	1) Medical condition requiring higher calorie and protein needs 2) Fluid restriction 3) Tube feeding only PLUS: Can only be issued to women and children Requires State Agency Approval	1 Certification Period	Nestle
IVA Anamix Early	Metabolic	Leucine-free with DHA and ARA; 13.5 g of protein equivalent per 100 g powder. For oral or tube feeding. Available in PWD.	Isovaleric acidemia or other disorders of leucine catabolism in infants or young children. Initial request requires State Agency approval and metabolic prescription form. Renewals require RD/SA approval and metabolic prescription form.	1 Certification Period	Nutricia
IVA Anamix Next	Metabolic	Leucine-free with DHA and ARA; 13.5 g of protein equivalent per 100 g powder. Available in PWD.	Isovaleric acidemia or other disorders of leucine catabolism in children or adults Can only be issued to women and children. Initial request requires State Agency approval and metabolic prescription form. Renewals require RD/SA approval and metabolic prescription form.	1 Certification Period	Nutricia
Jevity 1 Cal	Increased Calorie Supplement	31 cal/oz, nutritionally complete, high-protein, lactose-free, isotonic with fiber; 3.4 g fiber/8 oz serving. Available in RTU.	1) Tube feeding 2) Wound healing Can only be issued to women and children. Requires State Agency approval.	1 Certification Period	Abbott
Ketocal 3:1	Special Medical Conditions	High-fat, low-carbohydrate; for oral or tube feeding; 3 to 1 fat to carbohydrate and protein ratio; nutritionally complete. Available in PWD.	Non-metabolic reason: Intractable epilepsy in children over 1 year of age State Agency approval required for infants Metabolic reasons are listed below. Requires State Agency approval and metabolic prescription form. 1) Pyruvate dehydrogenase deficiency (PDH) 2) Glucose transporter type-1 deficiency	1 Certification Period	Nutricia

TEXAS WIC FORMULARY AND MEDICAL REASONS FOR ISSUANCE

APRIL 2016

Formula Name	Category	Description	Reasons for Issuance	Maximum Length of Issuance	Manufacturer
Ketocal 4:1	Special Medical Conditions	High-fat, low-carbohydrate; for oral or tube feeding; 4 to 1 fat to carbohydrate and protein ratio; nutritionally complete. Available in PWD, RTU.	Non-metabolic reason: Intractable epilepsy in children over 1 year of age If requested for infants, State Agency approval is required. Metabolic reasons are listed below. Requires State Agency approval and metabolic prescription form. 1) Pyruvate dehydrogenase deficiency (PDH) 2) Glucose transporter type-1 deficiency	1 Certification Period	Nutricia
Ketonex 1	Metabolic	Branched-chain amino acid and lactose-free. Available in PWD.	Maple syrup urine disease (MSUD), branched-chain ketoaciduria or beta-ketothiolase deficiency in infants or toddlers Initial request requires State Agency approval and metabolic prescription form. Renewals require RD/SA approval and metabolic prescription form.	1 Certification Period	Abbott
Ketonex 2	Metabolic	Branched-chain amino acid and lactose-free. Available in PWD.	Maple syrup urine disease (MSUD), branched-chain ketoaciduria or beta-ketothiolase deficiency in children or adults Can only be issued to women and children. Initial request requires State Agency approval and metabolic prescription form. Renewals require RD/SA approval and metabolic prescription form.	1 Certification Period	Abbott
Kid Essentials	Increased Calorie Supplement	30 cal/oz, lactose-free; nutritionally complete; for oral or tube feeding; contains MCT oil; full name is Boost Kid Essentials. Available in RTU.	1) Medical conditions that increase calorie needs 2) Inadequate growth (at risk for FTT) 3) FTT with weight/length or height <10 and/or downward crossing of 2 major percentiles (wt falls more than 2 major percentiles) 4) Tube feeding 5) Oral motor feeding problems, oral aversion, or inability to consume solid foods 6) Prematurity Normally used for children. If prescribed for an infant or for any reason other than that listed above, consult with local agency RD or State Agency staff. System will not allow formula to be issued <9 months of age.	1 Certification Period	Nestle

TEXAS WIC FORMULARY AND MEDICAL REASONS FOR ISSUANCE
APRIL 2016

Formula Name	Category	Description	Reasons for Issuance	Maximum Length of Issuance	Manufacturer
Kid Essentials 1.5	Increased Calorie Supplement	45 cal/oz, lactose-free; nutritionally complete; contains MCT oil. Available in RTU.	<p>1) Medical conditions that increase calorie needs</p> <p>2) Inadequate growth (at risk for FTT)</p> <p>3) Failure To Thrive (FTT) with weight/length or height <10 and/or downward crossing of 2 major percentiles (wt falls more than 2 major percentiles)</p> <p>4) Tube feeding</p> <p>5) Oral motor feeding problems, oral aversion, or inability to consume solid foods</p> <p>6) Prematurity</p> <p>Typically used when calorie needs are higher than what can be achieved with 30cal/oz products. Normally used for children. If prescribed for an infant or for any reason other than that listed above, consult with local agency RD or State Agency staff.</p> <p>System will not allow formula to be issued <9 months of age.</p>	1 Certification Period	Nestle
Kid Essentials 1.5 w/Fiber	Increased Calorie Supplement	45 cal/oz, lactose-free; nutritionally complete; for oral or tube feeding; contains MCT oil; 2.1 g fiber/8 oz container. Available in RTU.	<p>Increased fiber needs and/or one or more of the following:</p> <p>1) Medical conditions that increase calorie needs</p> <p>2) Inadequate growth (at risk for FTT)</p> <p>3) FailureToThrive (FTT) with weight/length <10 and/or downward crossing of 2 major percentiles (wt falls more than 2 major percentiles)</p> <p>4) Tube feeding</p> <p>5) Oral motor feeding problems, oral aversion, or inability to consume solid foods</p> <p>6) Prematurity</p> <p>Typically used when calorie needs are higher than what can be achieved with 30 cal/oz products. Normally used for children. If prescribed for an infant or for any reason other than that listed above, consult with local agency RD or State Agency staff.</p> <p>System will not allow formula to be issued <9 months of age.</p>	1 Certification Period	Nestle

TEXAS WIC FORMULARY AND MEDICAL REASONS FOR ISSUANCE

APRIL 2016

Formula Name	Category	Description	Reasons for Issuance	Maximum Length of Issuance	Manufacturer
Lipistart	Special Medical Conditions	Low-fat, high in medium chain triglycerides (MCT) and low in long chain triglycerides (LCT); with DHA/ARA and L-carnitine and taurine; suitable for children from 12 months of age and older. 1 scoop =5 g powder; standard dilution = 1 scoop to 30mL of water =1 fl oz approx. Available in PWD.	<ol style="list-style-type: none"> 1) Fat malabsorption 2) Long chain fatty acid oxidation disorders 3) Disorders requiring high MCT, low LCT formula 4) Hyperlipoproteinemia type 1 5) Chylothorax <p>Normally used for children. If prescribed for an infant or for any reason other than that listed above, consult with local agency RD or State Agency staff. Requires State Agency approval.</p>	1 Certification Period	Vitaflo
Liquigen	Modular	45 cal/10 ml; Emulsion of 50% MCT oil & 50% water; Nutritionally incomplete; Available RTU.	<ol style="list-style-type: none"> 1) Ketogenic Diet 2) Long-chain oxidation disorders 3) Fat malabsorptions 4) Defective lymphatic transport of fat 5) Conditions with decreased pancreatic lipase and or decreased bile salts 6) Medical condition which increases calorie needs. <p>Requires State Agency approval.</p>	1 Certification Period	Nutricia
LMD	Metabolic	Leucine, lactose and galactose-free; 16.2 g protein equivalents/100 g powder. Available in PWD.	<p>Leucine metabolism disorders (including isovaleric acidemia) in infants, children or adults</p> <p>Initial request requires State Agency approval and metabolic prescription form. Renewals require RD/SA approval and metabolic prescription form.</p>	1 Certification Period	Mead Johnson
Lophlex LQ PKU	Metabolic	Phenylalanine and fat-free; nutritionally incomplete; 20 g protein equivalents/125 mL pouch. Available in RTU.	<p>Phenylketonuria in children older than 4 years</p> <p>Can only be issued to women and children.</p> <p>Initial request requires State Agency approval and metabolic prescription form. Renewals require RD/SA approval and metabolic prescription form.</p>	1 Certification Period	Nutricia
MCT Oil	Modular	8.3 cal/g, 7.7 cal/mL, lactose-free, 100% MCT oil. Available in RTU.	<ol style="list-style-type: none"> 1) Fat malabsorption 2) Defective lymphatic transport of fat 3) Conditions with decreased pancreatic lipase and/or decreased bile salts 4) Medical condition which increases calorie needs <p>Requires State Agency approval.</p>	1 Certification Period	Nestle

TEXAS WIC FORMULARY AND MEDICAL REASONS FOR ISSUANCE

APRIL 2016

Formula Name	Category	Description	Reasons for Issuance	Maximum Length of Issuance	Manufacturer
Microlipid	Modular	4.5 cal/mL, lactose-free, 100% of total calories from safflower oil; fat emulsion for use in oral or tube-feeding formulas; discard bottle 5 days after opening. 1 Tbsp = 68 cal. Available in RTU.	<ol style="list-style-type: none"> 1) Medical conditions which increases caloric needs 2) Anorexia 3) Fluid or volume restriction 4) Decreased carbohydrate tolerance 5) Ketogenic diet Requires State Agency approval.	1 Certification Period	Nestle
MMA-PA Anamix Early	Metabolic	Methionine, threonine, valine-free and low isoleucine with a prebiotic fiber, iron and DHA/ARA. Provides 13.5 g of protein equivalent per 100 g of powder. Available in PWD.	Vitamin B-12 non-reponsive methylmalonic acidemia or propionic acidemia in infants or young children. Initial request requires State Agency approval and metabolic prescription form. Renewals require RD/SA approval and metabolic prescription form.	1 Certification Period	Nutricia
MMA-PA Anamix Next	Metabolic	Methionine, threonine, valine-free and low isoleucine with a prebiotic and DHA. Available in PWD.	Vitamin B-12 non-reponsive methylmalonic acidemia or propionic acidemia in children 1 year of age and up. Initial request requires State Agency approval and metabolic prescription form. Renewals require RD/SA approval and metabolic prescription form.	1 Certification Period	Nutricia

TEXAS WIC FORMULARY AND MEDICAL REASONS FOR ISSUANCE
APRIL 2016

Formula Name	Category	Description	Reasons for Issuance	Maximum Length of Issuance	Manufacturer
Monogen	Special Medical Conditions	Milk-based; 90% of fat is MCT oil; long-term use may lead to essential fatty acid deficiency; not recommended for infants under 1; similar to Portagen. Available in PWD.	1) Chylolthorax 2) Conventional fat and long chain fatty acid oxidation disorders, e.g., decreased pancreatic lipase, decreased bile salts, defective mucosal fat absorption, and/or defective lymphatic anomalies, hyperlipoproteinemia type 1, or long chain 3-hydroxyacyl-CoA dehydrogenase deficiency (LCHAD). 3) Medical conditions requiring high MCT oil	1 Certification Period	Nutricia
MSUD 2	Metabolic	Isoleucine, leucine and valine-free; nutritionally incomplete; 54 g protein equivalents/100 g powder. Available in PWD.	Maple syrup urine disease (MSUD), hypervalinemia, a-methyl-acetoacetic aciduria, ketotic hypoglycemia, hyperprolinemia type II, with hyperleucine-isoleucinemia in children Can only be issued to women and children. Initial request requires State Agency approval and metabolic prescription form. Renewals require RD/SA approval and metabolic prescription form.	1 Certification Period	Nutricia
MSUD Analog	Metabolic	Isoleucine, leucine and valine-free; nutritionally incomplete; 13 g protein equivalents/100 g powder. Available in PWD.	Maple syrup urine disease (MSUD) in infants. Initial request requires State Agency approval and metabolic prescription form. Renewals require RD/SA approval and metabolic prescription form.	1 Certification Period	Nutricia
MSUD Anamix Early	Metabolic	Isoleucine, leucine and valine-free with iron, DHA/ARA and prebiotic fiber blend. For oral or tube feeding. Available in PWD.	Maple syrup urine disease (MSUD). Initial request requires State Agency approval and metabolic prescription form. Renewals require RD/SA approval and metabolic prescription form.	1 Certification Period	Nutricia

TEXAS WIC FORMULARY AND MEDICAL REASONS FOR ISSUANCE
APRIL 2016

Formula Name	Category	Description	Reasons for Issuance	Maximum Length of Issuance	Manufacturer
MSUD Maxamaid	Metabolic	Isoleucine, leucine and valine-free; nutritionally incomplete; not intended for infants under 1 year of age; 25 g protein equivalents/100 g powder. Available in PWD.	Maple syrup urine disease (MSUD) in toddlers and young children Can only be issued to women and children. Initial request requires State Agency approval and metabolic prescription form. Renewals require RD/SA approval and metabolic prescription form.	1 Certification Period	Nutricia
MSUD Maxamum	Metabolic	Isoleucine, leucine and valine-free; nutritionally incomplete; not intended for children under 9 years of age; 40 g protein equivalents/100 g powder. Available in PWD.	Maple syrup urine disease (MSUD) in older children and adults Can only be issued to women and children. Initial request requires State Agency approval and metabolic prescription form. Renewals require RD/SA approval and metabolic prescription form.	1 Certification Period	Nutricia
Neocate w/DHA/ARA	Elemental	20 cal/oz, lactose, sucrose, and soy-free; hypoallergenic; 100% free amino acids; 33% of fat is MCT oil. Standard 20 cal mixing is 1 scoop of powder to 1 oz water. Similar to Alfamino, Elecare DHA/ARA and PurAmino. Available in PWD.	1) Severe malabsorption 2) GI impairment 3) Food allergies, e.g., allergy to cow's milk, soy, and/or intact protein *Note: A protein hydrolysate (Extensive HA, Nutramigen, Alimentum, or Pregestimil) is recommended before issuing unless medically contraindicated. 4) Medical condition requiring an elemental formula such as: short bowel syndrome, necrotizing enterocolitis, eosinophilic esophagitis, etc.	1 Certification Period	Nutricia
Neocate Junior	Elemental	30 cal/oz, hypoallergenic, nutritionally complete, 100% non-allergenic free amino-acids; for oral or tube feeding; 35% of fat is MCT oil. Similar to Alfamino Jr., Elecare Jr. and PurAmino Toddler. Unflavored: 1 Tbsp = 7 g; 1 C = 100 g; Tropical Fruit and Chocolate: 1 Tbsp = 7 g, 1 C = 108 g. Available in PWD.	1) Severe malabsorption 2) Severe food allergies, multiple protein intolerance 3) GI impairment such as eosinophilic esophagitis (EoE), gastroesophageal reflux (GERD) 4) Medical condition requiring a hypoallergenic elemental formula Can only be issued to women and children.	1 Certification Period	Nutricia

TEXAS WIC FORMULARY AND MEDICAL REASONS FOR ISSUANCE
APRIL 2016

Formula Name	Category	Description	Reasons for Issuance	Maximum Length of Issuance	Manufacturer
Neocate Junior with Prebiotics	Elemental	30 cal/oz, hypoallergenic, nutritionally complete, 100% non-allergenic free amino-acids with prebiotic fiber; for oral or tube feeding; 35% of fat is MCT oil. Unflavored: 1 Tbsp = 7 g; 1 C = 100 g. Available in PWD.	<ol style="list-style-type: none"> 1) Severe malabsorption 2) Severe food allergies, multiple protein intolerance 3) GI impairment such as eosinophilic esophagitis (EoE), gastroesophageal reflux (GERD) 4) Medical condition requiring a hypoallergenic elemental formula <p>Can only be issued to women and children.</p>	1 Certification Period	Nutricia
Neocate Nutra	Elemental	472 cal/ 100 g; 4.7 g per scoop, approximately 22 cal/scoop, (1 tsp = 2 g), serving size = 8 scoops; hypoallergenic, amino acid-based semi-solid food; not nutritionally complete; oral use only; not for bottle or tube feeding. Available in PWD.	<ol style="list-style-type: none"> 1) Severe malabsorption, cow's milk allergy 2) Severe food allergies, multiple protein intolerances 3) GI impairment such as eosinophilic esophagitis (EoE) or gastroesophageal reflux (GERD) 4) Food protein-induced enterocolitis syndrome (FPIES) <p>System will not issue for infants under 6 months of age. Note: For infants, typically issued with formula. Requires State Agency approval.</p>	6 months	Nutricia
Neocate Splash	Elemental	30 cal/oz, hypoallergenic, nutritionally complete, 100% non-allergenic free amino-acids; for oral or tube feeding; 35% of fat is MCT oil. Available in RTU.	<ol style="list-style-type: none"> 1) Severe malabsorption 2) Severe food allergies, multiple protein intolerance (MFPI) 3) GI impairments such as eosinophilic esophagitis (EOE), gastroesophageal reflux (GERD) short bowel syndrome, 4) Medical condition requiring a hypoallergenic elemental formula. <p>Can only be issued to women and children.</p>	1 Certification Period	Nutricia

TEXAS WIC FORMULARY AND MEDICAL REASONS FOR ISSUANCE

APRIL 2016

Formula Name	Category	Description	Reasons for Issuance	Maximum Length of Issuance	Manufacturer
NeoSure	Premature/LBW	22 cal/oz, high in protein, vitamins, and minerals for preterm and/or low birth weight infants; contains 25% fat from MCT oil; similar to EnfaCare. Available in PWD, RTU.	Prematurity or low birth weight (LBW); Premature infants weighing more than 5 lbs 8 oz at birth - may issue for 1 month with hospital prescription. See birthweight guidelines below. ≥ 3 lb 5 oz (1500 gm) to ≤ 5 lb 8 oz (<2500 gm) issue up to 9 months chronological age < 3 lb 5 oz (<1500 gm) issue up to 12 months chronological age If requested outside of these parameters or for other reasons, contact Local RD or the State Agency for approval. RTU may be issued for intolerance to powder, if the RTU form improves compliance, or better accommodates the infants condition.	Variable	Abbott
Nepro	Special Medical Conditions	54 cal/oz, calorically dense and lactose-free; for oral or tube feeding. Available in RTU.	1) Electrolyte and/or fluid restriction 2) Dialysis 3) Acute/chronic renal failure Can only be issued to women and children.	1 Certification Period	Abbott
NovaSource Renal	Special Medical Conditions	60 cal/oz, lactose-free, high-calories; with MCT oil. Available in RTU.	1) Acute kidney injury (AKI) 2) Chronic kidney disease (CKD) on dialysis or renal failure 3) Electrolyte or fluid restrictions due to AKI or CKD.	1 Certification Period	Nestle
Nutramigen	Protein Hydrolysate	20 cal/oz, hypoallergenic casein hydrolysate, lactose, sucrose, and galactose-free; does not contain MCT oil. Available in CON, RTU.	1) Intolerance, sensitivity, or allergy to cow's milk, soy, and/or intact protein. 2) Malabsorption 3) Gastroesophageal reflux disease (GERD) 4) Gastroesophageal reflux (GER) with one or more of the following: aspiration or risk of aspiration, respiratory disease (bronchopulmonary dysplasia, reactive airway disease, chronic lung disease, asthma, or pneumonia), poor weight gain or weight loss, esophagitis, or using reflux medications. 5) Food protein-induced enterocolitis syndrome (FPIES) RTU may be issued for intolerance to concentrate, if the RTU form improves compliance, or better accommodates the infants condition.	1 Certification Period	Mead Johnson

TEXAS WIC FORMULARY AND MEDICAL REASONS FOR ISSUANCE
APRIL 2016

Formula Name	Category	Description	Reasons for Issuance	Maximum Length of Issuance	Manufacturer
Nutramigen Enflora LGG	Protein Hydrolysate	20 cal/oz, hypoallergenic, lactose, sucrose, and galactose-free; contains probiotic Lactobacillus rhamnosus GG (LGG); does not contain MCT oil; Some similarities to Extensive HA, Alimentum, and Pregestimil. Powder should be measured with packed, level scoops. Available in PWD.	<ol style="list-style-type: none"> 1) Intolerance, sensitivity, or allergy to cow's milk, soy, and/or intact protein. 2) Malabsorption 3) Gastroesophageal reflux disease (GERD) 4) Gastroesophageal reflux (GER) with one or more of the following: aspiration or risk of aspiration, respiratory disease (bronchopulmonary dysplasia, reactive airway disease, chronic lung disease, asthma, or pneumonia), poor weight gain or weight loss, esophagitis, or using reflux medications. 5) Food protein-induced enterocolitis syndrome (FPIES) 	1 Certification Period	Mead Johnson
Nutramigen Toddler	Protein Hydrolysate	20 cal/oz, hypoallergenic, lactose, sucrose, and galactose-free toddler formula; contains probiotic Lactobacillus rhamnosus GG (LGG); does not contain MCT oil; powder should be measured with packed, level scoops. Available in PWD.	<ol style="list-style-type: none"> 1) Over age 1 year with medical need for 20 cal/oz hypoallergenic toddler formula. 2) Intolerance, sensitivity, or allergy to cow's milk, soy, and/or intact protein 3) GERD (Gastro-esophageal reflux disease) 4) Gastroesophageal reflux (GER) with one or more of the following: aspiration or risk of aspiration, respiratory disease (bronchopulmonary dysplasia, reactive airway disease, chronic lung disease, asthma, or pneumonia), poor weight gain or weight loss, esophagitis, or using reflux medications. 5) Food protein-induced enterocolitis syndrome (FPIES) <p>Can only be issued to women and children.</p>	1 Certification Period	Mead Johnson
Nutren 1.0	Increased Calorie Supplement	30 cal/oz, lactose-free, oral or tube feeding supplement; 25% of fat is MCT oil. Available in RTU.	<ol style="list-style-type: none"> 1) Medical conditions that increase calorie needs 2) Oral motor feeding problems 3) Tube feeding <p>Normally used for adults. If prescribed for a child or for any other reason, consult with local agency RD or State Agency staff. Can only be issued to women and children.</p>	1 Certification Period	Nestle

TEXAS WIC FORMULARY AND MEDICAL REASONS FOR ISSUANCE

APRIL 2016

Formula Name	Category	Description	Reasons for Issuance	Maximum Length of Issuance	Manufacturer
Nutren 1.0 w/Fiber	Increased Calorie Supplement	30 cal/oz, lactose-free, oral or tube feeding supplement with fiber; 25% of fat is MCT oil; 3.5 g fiber/250 mL container. Available in RTU.	<ol style="list-style-type: none"> 1) Medical conditions that increase calorie needs 2) Oral motor feeding problems 3) Tube feeding <p>Normally used for adults. If prescribed for a child or for any other reason consult with local agency RD or State Agency staff. Can only be issued to women and children.</p>	1 Certification Period	Nestle
Nutren 2.0	Increased Calorie Supplement	60 cal/oz, high calorie, lactose-free, oral or tube feeding; 75% of fat is MCT oil; similar to Resource 2.0. Available in RTU.	<ol style="list-style-type: none"> 1) Fluid restriction 2) Medical conditions that increase calorie needs <p>Can only be issued to women and children.</p>	1 Certification Period	Nestle
Nutren Junior	Increased Calorie Supplement	30 cal/oz, lactose-free, oral or tube feeding; contains 50% whey protein concentrate; 22% of fat is MCT oil. Available in RTU.	<ol style="list-style-type: none"> 1) Medical conditions that increase calorie needs 2) Inadequate growth (at risk for FTT) 3) FTT with weight/length or height <10 and/or downward crossing of 2 major percentiles (wt falls more than 2 major percentiles) 4) Tube feeding 5) Oral motor feeding problems, oral aversion, or inability to consume solid foods 6) Prematurity <p>Normally used for children. If prescribed for an infant or for any reason other than that listed above, consult with local agency RD or State Agency staff. System will not allow formula to be issued <9 months of age.</p>	1 Certification Period	Nestle
Nutren Junior w/Fiber	Increased Calorie Supplement	30 cal/oz, lactose-free, oral or tube feeding; 22% of fat is MCT oil; 50% whey protein concentrate; 1.5 g fiber/250 mL container. Available in RTU.	<p>Increased fiber needs and/or one or more of the following:</p> <ol style="list-style-type: none"> 1) Medical conditions that increase calorie needs 2) Inadequate growth (at risk for FTT) 3) FTT with weight/length or height <10 and/or downward crossing of 2 major percentiles (wt falls more than 2 major percentiles) 4) Tube feeding 5) Oral motor feeding problems, oral aversion, or inability to consume solid foods 6) Prematurity <p>Normally used for children. If prescribed for an infant or for any reason other than that listed above, consult with local agency RD or State Agency staff. System will not allow formula to be issued <9 months of age.</p>	1 Certification Period	Nestle

TEXAS WIC FORMULARY AND MEDICAL REASONS FOR ISSUANCE

APRIL 2016

Formula Name	Category	Description	Reasons for Issuance	Maximum Length of Issuance	Manufacturer
Nutren Pulmonary	Special Medical Conditions	45 cal/oz, high-calorie, high-protein, low-carbohydrate, lactose-free; nutritionally complete; 40% of fat is MCT oil. Available in RTU.	<ol style="list-style-type: none"> 1) Pulmonary disease 2) Respiratory disorder 3) Ventilator dependency 4) Fluid restriction <p>Can only be issued to women and children. Requires State Agency approval.</p>	1 Certification Period	Nestle
NutriHep	Special Medical Conditions	45 cal/oz, high calorie, high branched-chain amino acid, low-aromatic and ammonogenic amino acid hepatic formula, lactose-free; 70% of fat is MCT oil. Available in RTU.	<ol style="list-style-type: none"> 1) Hepatic insufficiency 2) Liver disease <p>Can only be issued to women and children. Requires State Agency approval.</p>	1 Certification Period	Nestle
OA 1	Metabolic	Isoleucine, methionine, threonine, valine, lactose and galactose-free; nutritionally incomplete; OA stands for organic acid; 15.7 g protein equivalents/100 g powder. Available in PWD.	<p>Propionic acidemia or methylmalonic acidemia in infants or toddlers</p> <p>Initial request requires State Agency approval and metabolic prescription form. Renewals require RD/SA approval and metabolic prescription form.</p>	1 Certification Period	Mead Johnson
OA 2	Metabolic	Isoleucine, methionine, threonine, valine, fat-free; nutritionally incomplete; OA stands for organic acid; 21 g protein equivalent/100 g powder. 60 calories per scoop (14.5 grams per scoop). Available in PWD.	<p>Propionic acidemia or methylmalonic acidemia in children or adults</p> <p>Can only be issued to women and children. Initial request requires State Agency approval and metabolic prescription form. Renewals require RD/SA approval and metabolic prescription form.</p>	1 Certification Period	Mead Johnson

TEXAS WIC FORMULARY AND MEDICAL REASONS FOR ISSUANCE

APRIL 2016

Formula Name	Category	Description	Reasons for Issuance	Maximum Length of Issuance	Manufacturer
OS 2	Metabolic	Isoleucine, methionine, threonine, valine, and fat-free; nutritionally incomplete. Available in PWD.	Propionic acidemia or methylmalonic aciduria in children and adults Can only be issued to women and children. Initial request requires State Agency approval and metabolic prescription form. Renewals require RD/SA approval and metabolic prescription form.	1 Certification Period	Nutricia
Osmolite 1.0	Increased Calorie Supplement	32 cal/oz, soy-based, lactose-free, isotonic; nutritionally complete; for oral or tube feeding; 20% of fat is MCT oil; 10.5 g soy protein/8 oz can. Available in RTU.	Increased protein needs with intolerance to hyper-osmolar feedings and calorie needs less than 2000 cal/day Can only be issued to women and children. Requires State Agency approval.	1 Certification Period	Abbott
Osmolite 1.2	Increased Calorie Supplement	36 cal/oz, high-protein, lactose-free, isotonic, nutritionally complete, for oral or tube feeding; 20% of fat is MCT oil. Available in RTU.	Increased energy or protein needs with intolerance to hyperosmolar feedings Can only be issued to women and children. Requires State Agency approval.	1 Certification Period	Abbott
Oxepa	Special Medical Conditions	45 cal/oz, high-calorie, low-carbohydrate, lactose-free, for tube feeding; 25% of fat is MCT oil. Available in RTU.	Mechanical ventilation, e.g., acute respiratory distress syndrome Can only be issued to women and children. Requires State Agency approval.	1 Certification Period	Abbott
Pediasmart	Increased Calorie Supplement	30 cal/oz, lactose-free, organic milk-based and nutritionally complete; free of artificial colors, dyes DHA, ARA, hexane processed oils, sweeteners, genetically modified ingredients, pesticides, and added growth hormones. Available in PWD.	1) Medical conditions that show intolerance to dyes, chemicals or sensitivity to organophosphates or other additives and/or 2) Medical conditions that increase calorie needs 3) Inadequate growth (at risk for FTT) 4) FTT with weight/length or height <10% and/or downward crossing of 2 major percentiles 5) Oral motor feeding problems, oral aversion, or inability to consume solids 6) Prematurity System will not allow formula to be issued <9 months of age. Normally used for children. If prescribed for an infant or for any reason other than that listed above, consult with local agency RD or State Agency staff.	1 Certification Period	Natures One

TEXAS WIC FORMULARY AND MEDICAL REASONS FOR ISSUANCE

APRIL 2016

Formula Name	Category	Description	Reasons for Issuance	Maximum Length of Issuance	Manufacturer
Pediasmart Soy	Increased Calorie Supplement	30 cal/oz, lactose-free, organic soy-based and nutritionally complete; free of artificial colors, dyes, ARA, hexane processed oils, sweeteners, genetically modified ingredients, pesticides, and added growth hormones. Available in PWD.	<p>Cow's milk allergy/intolerance and one or more of the following:</p> <ol style="list-style-type: none"> 1) Medical conditions that show intolerance to dyes, chemicals or sensitivity to organophosphates or other additives and/or 2) Medical conditions that increase calorie needs 3) Inadequate growth (at risk for FTT) 4) FTT with weight/length or height <10% and/or downward crossing of 2 major percentiles 5) Oral motor feeding problems, oral aversion, or inability to consume solids 6) Prematurity <p>System will not allow formula to be issued <9 months of age. Normally used for children. If prescribed for an infant or for any reason other than that listed above, consult with local agency RD or State Agency staff.</p>	1 Certification Period	Natures One
PediaSure	Increased Calorie Supplement	30 cal/oz, lactose-free; with DHA and prebiotic scFOS; nutritionally complete; 15% MCT oil; Osmolality: vanilla, strawberry and banana cream = 480, chocolate = 560; 1 g fiber and 18 g sugar/8 oz container. Available in RTU.	<ol style="list-style-type: none"> 1) Medical conditions that increase calorie needs 2) Inadequate growth (at risk for FTT) 3) FTT with weight/length or height <10% and/or downward crossing of 2 major percentiles 4) Tube feeding 5) Oral motor feeding problems, oral aversion, or inability to consume solids 6) Prematurity <p>System will not allow formula to be issued <9 months of age. Normally used for children. If prescribed for an infant or for any reason other than that listed above, consult with local agency RD or State Agency staff.</p>	1 Certification Period	Abbott
PediaSure w/Fiber	Increased Calorie Supplement	30 cal/oz, lactose-free with fiber and DHA; nutritionally complete; 15% MCT oil; 3.2 g fiber and 18 g sugar/8 oz container; Osmolality: 480. Available in RTU.	<p>Increased fiber needs and/or one or more of the following:</p> <ol style="list-style-type: none"> 1) Medical conditions that increase calorie needs 2) Inadequate growth (at risk for FTT) 3) FTT with weight/length or height <10 and/or downward crossing of 2 major percentiles (wt falls more than 2 major percentiles) 4) Tube feeding 5) Oral motor feeding problems, oral aversion, or inability to consume solid foods 6) Prematurity <p>System will not allow formula to be issued <9 months of age. Normally used for children. If prescribed for an infant or for any reason other than that listed above, consult with local agency RD or State Agency staff.</p>	1 Certification Period	Abbott

TEXAS WIC FORMULARY AND MEDICAL REASONS FOR ISSUANCE

APRIL 2016

Formula Name	Category	Description	Reasons for Issuance	Maximum Length of Issuance	Manufacturer
PediaSure Enteral 1.0	Increased Calorie Supplement	30 cal/oz, lactose-free and isotonic; nutritionally complete, 15% MCT oil; oral or tube feeding; 7 g sugar/8 oz container; Osmolality: 335; similar to Nutren Jr. Available in RTU.	<ol style="list-style-type: none"> 1) Medical conditions that increase calorie needs 2) Inadequate growth (at risk for FTT) 3) FTT with weight/length height <10 and/or downward crossing of 2 major percentiles (wt falls more than 2 major percentiles) 4) Tube feeding 5) Oral motor feeding problems, oral aversion, or inability to consume solid foods 6) Prematurity <p>System will not allow formula to be issued <9 months of age. Normally used for children. If prescribed for an infant or for any reason other than that listed above, consult with local agency RD or State Agency staff.</p>	1 Certification Period	Abbott
PediaSure Enteral w/Fiber 1.0	Increased Calorie Supplement	30 cal/oz, lactose-free and isotonic with fiber and prebiotic short-chain fructooligosaccharides (scFOS); nutritionally complete; 15% of fat is MCT oil; for oral or tube feeding; 1.9 g fiber and 7 g sugar/8 oz container; Osmolality: 345; similar to Nutren Jr. with Fiber. Available in RTU.	<p>Increased fiber needs and/or one or more of the following:</p> <ol style="list-style-type: none"> 1) Medical conditions that increase calorie needs 2) Inadequate growth (at risk for FTT) 3) FTT with weight/length or height <10 and/or downward crossing of 2 major percentiles (wt falls more than 2 major percentiles) 4) Tube feeding 5) Oral motor feeding problems, oral aversion, or inability to consume solid foods 6) Prematurity <p>System will not allow formula to be issued <9 months of age. Normally used for children. If prescribed for an infant or for any reason other than that listed above, consult with local agency RD or State Agency staff.</p>	1 Certification Period	Abbott
PediaSure 1.5	Increased Calorie Supplement	45 cal/oz, lactose-free with DHA; nutritionally complete; 15% MCT oil; for oral or tube feeding; Osmolality: 370; similar to Kid Essentials 1.5. Available in RTU.	<ol style="list-style-type: none"> 1) Medical conditions that increase calorie needs 2) Inadequate growth (at risk for FTT) 3) FTT with weight/length or height <10 and/or downward crossing of 2 major percentiles (wt falls more than 2 major percentiles) 4) Tube feeding 5) Oral motor feeding problems, oral aversion, or inability to consume solid foods 6) Prematurity <p>System will not allow formula to be issued <9 months of age. Typically used when calorie needs are higher than what can be achieved with 30cal/oz products. Normally used for children. If prescribed for an infant or for any reason other than that listed above, consult with local agency RD or State Agency staff.</p>	1 Certification Period	Abbott

TEXAS WIC FORMULARY AND MEDICAL REASONS FOR ISSUANCE

APRIL 2016

Formula Name	Category	Description	Reasons for Issuance	Maximum Length of Issuance	Manufacturer
PediaSure 1.5 w/Fiber	Increased Calorie Supplement	45 cal/oz, lactose-free with DHA and prebiotic short-chain fructooligosaccharides (scFOS); nutritionally complete, for oral or tube feeding; 15% MCT oil and 3 g fiber /8 oz container; Osmolality: 390; similar to Kid Essentials 1.5 with Fiber. Available in RTU.	Increased fiber needs and/or one or more of the following: 1) Medical conditions that increase calorie needs 2) Inadequate growth (at risk for FTT) 3) FTT with weight/length or height <10 and/or downward crossing of 2 major percentiles (wt falls more than 2 major percentiles) 4) Tube feeding 5) Oral motor feeding problems, oral aversion, or inability to consume solid foods 6) Prematurity System will not allow formula to be issued <9 months of age. Typically used when calorie needs are higher than what can be achieved with 30cal/oz products. Normally used for children. If prescribed for an infant or for any reason other than that listed above, consult with local agency RD or State Agency staff.	1 Certification Period	Abbott
PediaSure Peptide 1.0	Elemental	30 cal/oz, lactose-free, nutritionally complete, hydrolyzed whey protein for oral or tube feeding; 50% of fat is MCT oil. Available in RTU.	1) Malabsorption 2) Maldigestion 3) GI impairment in children requiring 100% hydrolyzed protein, or semi-elemental formula System will not allow formula to be issued <9 months of age. Normally used for children. If prescribed for an infant or for any reason other than that listed above, consult with local agency RD or State Agency staff.	1 Certification Period	Abbott
PediaSure Peptide 1.5	Elemental	45 cal/oz, lactose-free; nutritionally complete; semi-elemental formula with hydrolyzed whey protein and 50% of fat as MCT oil; for oral or tube feeding. Available in RTU.	1) Malabsorption or maldigestion 2) GI impairment in children requiring 100% hydrolyzed protein, or semi-elemental formula 3) Medical condition that increase caloric needs Can only be issued to women and children.	1 Certification Period	Abbott

TEXAS WIC FORMULARY AND MEDICAL REASONS FOR ISSUANCE

APRIL 2016

Formula Name	Category	Description	Reasons for Issuance	Maximum Length of Issuance	Manufacturer
PediaSure SideKicks (Institutional 0.63 cal)	Special Medical Conditions	18.75 cal/oz, lactose-free; nutritionally complete; for oral or tube feeding; contains 3 g prebiotic fiber and milk protein with 40% less fat than PediaSure. Available in RTU.	1) Medical conditions that require or result in decreased calorie needs, e.g., Down Syndrome, quadriplegia 2) Oral or tube feeding for children requiring a lower calorie nutritionally complete product, e.g., neurological condition, oral-motor feeding problems Can only be issued to women and children.	1 Certification Period	Abbott
Pepdite Jr.	Elemental	30 cal/oz, lactose and galactose-free, semi-elemental formula; 35% of fat is MCT oil; similar to Peptamen Junior; not intended for infants under 1 year of age. Available in RTU.	1) Malabsorption 2) Severe food allergies, whole protein intolerance 3) GI impairment, short bowel syndrome (SBS) 4) Medical condition requiring a hypoallergenic semi-elemental formula. Can only be issued to women and children.	1 Certification Period	Nutricia
Peptamen	Elemental	30 cal/oz, lactose-free, elemental; nutritionally complete; 70% of fat is MCT oil; 100% hydrolyzed whey protein from cow's milk. Available in RTU.	GI impairment such as: short bowel syndrome (SBS), inflammatory bowel disease (IBD), pancreatitis, cystic fibrosis(CF) Can only be issued to women and children.	1 Certification Period	Nestle
Peptamen 1.5	Elemental	45 cal/oz, lactose-free, peptide-based, elemental, nutritionally complete; 70% of fat is MCT oil; 100% hydrolyzed whey protein from cow's milk. Available in RTU.	GI impairment such as: short bowel syndrome (SBS), inflammatory bowel disease (IBD), pancreatitis, cystic fibrosis (CF), and increased calorie needs or fluid restriction Can only be issued to women and children.	1 Certification Period	Nestle

TEXAS WIC FORMULARY AND MEDICAL REASONS FOR ISSUANCE

APRIL 2016

Formula Name	Category	Description	Reasons for Issuance	Maximum Length of Issuance	Manufacturer
Peptamen Junior	Elemental	30 cal/oz, lactose-free, elemental, nutritionally complete, for oral or tube feeding; 60% of fat is MCT oil; 100% hydrolyzed whey protein from cow's milk; similar to Pepdite Junior. Available in RTU.	GI impairment such as: short bowel syndrome (SBS), inflammatory bowel disease (IBD), pancreatitis, cystic fibrosis (CF) Normally used for children over age 1. System will not allow formula to be issued <9 months of age.	1 Certification Period	Nestle
Peptamen Junior 1.5	Elemental	45 cal/oz, lactose-free, elemental; nutritionally complete; for oral or tube feeding; 60% of fat is MCT oil; 100% hydrolyzed whey protein from cow's milk; 1.35 g fiber/250 mL container. Available in RTU.	GI impairment such as: short bowel syndrome (SBS), inflammatory bowel disease (IBD), pancreatitis, cystic fibrosis (CF), and need for additional calories Typically used when calorie needs are higher than what can be achieved with 30 cal/oz products. Normally used for children. If prescribed for an infant or for any reason, consult with local agency RD or State Agency staff. System will not allow formula to be issued <9 months of age.	1 Certification Period	Nestle
Peptamen Junior w/Fiber	Elemental	30 cal/oz, lactose-free, elemental, nutritionally complete, for oral or tube feeding; 60% of fat is MCT oil; 100% hydrolyzed whey protein from cow's milk; 1.8 g fiber/250 mL container. Available in RTU.	GI impairment such as: short bowel syndrome (SBS), inflammatory bowel disease (IBD), pancreatitis, cystic fibrosis (CF), and need for added fiber Normally used for children over age 1. System will not allow formula to be issued <9 months of age.	1 Certification Period	Nestle
Peptamen Junior w/PreBio	Elemental	30 cal/oz, lactose-free, elemental, nutritionally complete, for oral or tube feeding; with prebiotics; 60% of fat is MCT oil; 100% hydrolyzed whey protein from cow's milk; 0.9 g fiber/250 mL container. Available in RTU.	GI impairment such as: short bowel syndrome (SBS), inflammatory bowel disease (IBD), pancreatitis, cystic fibrosis (CF), and need for added fiber Normally used for children over age 1. Can only be issued to women and children.	1 Certification Period	Nestle

TEXAS WIC FORMULARY AND MEDICAL REASONS FOR ISSUANCE

APRIL 2016

Formula Name	Category	Description	Reasons for Issuance	Maximum Length of Issuance	Manufacturer
Perative	Increased Calorie Supplement	39 cal/oz, lactose-free, partially hydrolyzed protein; nutritionally complete; for tube feeding; 40% of fat is MCT oil. Available in RTU.	1) Pressure ulcers, multiple fractures, wounds, burns, or surgery 2) Multiple fractures 3) Wounds, burns, or surgery 4) Conditions causing metabolic stress Can only be issued to women and children. Requires State Agency approval.	1 Certification Period	Abbott
Periflex Advance	Metabolic	Phenylalanine-free; nutritionally incomplete; intended for older children and adults (including pregnant women). Available in PWD.	Phenylketonuria (PKU) in children older than 1 year Initial request requires State Agency approval and metabolic prescription form. Renewals require RD/SA approval and metabolic prescription form.	1 Certification Period	Nutricia
Periflex Infant	Metabolic	Phenylalanine-free; nutritionally incomplete; intended for infants; 13 g protein equivalents/100 g powder. Available in PWD.	Phenylketonuria (PKU) in infants Initial request requires State Agency approval and metabolic prescription form. Renewals require RD/SA approval and metabolic prescription form.	1 Certification Period	Nutricia
Periflex Junior	Metabolic	Phenylalanine-free; nutritionally incomplete; not intended for infants under 1 year of age; 25 g protein equivalents/100 g powder. Available in PWD.	Phenylketonuria (PKU) in children older than 1 year Can only be issued to women and children. Initial request requires State Agency approval and metabolic prescription form. Renewals require RD/SA approval and metabolic prescription form.	1 Certification Period	Nutricia
Periflex Junior Plus	Metabolic	Phenylalanine-free; nutritionally incomplete, 100% RDI Vitamin D, 90 % RDA of DHA in 20 g protein, 30% RDA of soluble & insoluble fiber. 28 protein equivalents/100 g PWD, Available in PWD.	Phenylketonuria in children older than 1 year. Initial request requires State Agency approval and metabolic prescription form. Renewals require RD/SA approval and metabolic prescription form. Can only be issued to women and children.	1 Certification Period	Nutricia
Periflex LQ PKU	Metabolic	Phenylalanine-free; nutritionally incomplete; contains 5 g fat and 15 g protein equivalents/250 mL container; intended for older children and adults. Available in RTU.	Phenylketonuria (PKU), including maternal PKU Can only be issued to women and children. Initial request requires State Agency approval and metabolic prescription form. Renewals require RD/SA approval and metabolic prescription form.	1 Certification Period	Nutricia

TEXAS WIC FORMULARY AND MEDICAL REASONS FOR ISSUANCE
APRIL 2016

Formula Name	Category	Description	Reasons for Issuance	Maximum Length of Issuance	Manufacturer
PFD 2	Metabolic	Amino-acid, protein, lactose and galactose-free formula; nutritionally incomplete; Available in PWD.	Inborn errors of amino acid metabolism in children and adults Can only be issued to women and children. Initial request requires State Agency approval and metabolic prescription form. Renewals require RD/SA approval and metabolic prescription form.	1 Certification Period	Mead Johnson
Phenex 1	Metabolic	Phenylalanine and lactose-free; for infants and toddlers. Available in PWD.	Phenylketonuria (PKU) or hyperphenylalaninemia in infants or toddlers Initial request requires State Agency approval and metabolic prescription form. Renewals require RD/SA approval and metabolic prescription form.	1 Certification Period	Abbott
Phenex 2	Metabolic	Phenylalanine and lactose-free; nutritionally incomplete; for children and adults. Available in PWD.	Phenylketonuria (PKU) or hyperphenylalaninemia in children or adults Can only be issued to women and children. Initial request requires State Agency approval and metabolic prescription form. Renewals require RD/SA approval and metabolic prescription form.	1 Certification Period	Abbott
Phenyl Free 1	Metabolic	Phenylalanine, lactose and galactose-free; nutritionally incomplete; 16.2 g protein equivalents/100 g powder. Available in PWD.	Hyperphenylalaninemia, including PKU (phenylketonuria) in infants or toddlers. Initial request requires State Agency approval and metabolic prescription form. Renewals require RD/SA approval and metabolic prescription form.	1 Certification Period	Mead Johnson
Phenyl Free 2	Metabolic	Phenylalanine, lactose and galactose-free; nutritionally incomplete, 22 g protein equivalents/100 g powder. Available in PWD.	Hyperphenylalaninemia, including PKU (phenylketonuria) in children or adults Can only be issued to women and children. Initial request requires State Agency approval and metabolic prescription form. Renewals require RD/SA approval and metabolic prescription form.	1 Certification Period	Mead Johnson

TEXAS WIC FORMULARY AND MEDICAL REASONS FOR ISSUANCE
APRIL 2016

Formula Name	Category	Description	Reasons for Issuance	Maximum Length of Issuance	Manufacturer
Phenyl Free 2HP	Metabolic	Phenylalanine, lactose, galactose-free; higher in protein and most vitamins and minerals than Phenyl Free 2; nutritionally incomplete; 40 g protein equivalents/100 g powder. Available in PWD.	Hyperphenylalaninemia, including PKU (phenylketonuria) in children or adults Can only be issued to women and children. Initial request requires State Agency approval and metabolic prescription form. Renewals require RD/SA approval and metabolic prescription form.	1 Certification Period	Mead Johnson
PhenylAde 60 Drink Mix	Metabolic	Phenylalanine-free; nutritionally incomplete; for oral or tube feeding; 294 cal per 100 g powder; not for infants under 1 year of age. Available in PWD.	Phenylketonuria (PKU) Can only be issued to women and children. Initial request requires State Agency approval and metabolic prescription form. Renewals require RD/SA approval and metabolic prescription form.	1 Certification Period	Nutricia
PhenylAde Drink Mix	Metabolic	Phenylalanine free; nutritionally incomplete; not for children under one year of age; 40 g/scoop = 10 g protein equivalents. Available in PWD.	Phenylketonuria (PKU) in children or adults. Initial request requires State Agency approval and metabolic prescription form. Renewals require RD/SA approval and metabolic prescription form.	1 Certification Period	Nutricia
PhenylAde Amino Acid Blend	Metabolic	Phenylalanine-free, nutritionally incomplete; for oral or tube feeding; 323 cal per 100 g powder; not for infants under 1 year of age. Available in PWD.	Phenylketonuria (PKU) Can only be issued to women and children. Initial request requires State Agency approval and metabolic prescription form. Renewals require RD/SA approval and metabolic prescription form.	1 Certification Period	Nutricia

TEXAS WIC FORMULARY AND MEDICAL REASONS FOR ISSUANCE
APRIL 2016

Formula Name	Category	Description	Reasons for Issuance	Maximum Length of Issuance	Manufacturer
PhenylAde Essential	Metabolic	Phenylalanine-free, nutritionally incomplete; with flax and soluble fiber; 40 g/scoop = 10 g protein equivalents; not for children under 1 year of age. Available in PWD.	Phenylketonuria (PKU) in children or adults Can only be issued to women and children. Initial request requires State Agency approval and metabolic prescription form. Renewals require RD/SA approval and metabolic prescription form.	1 Certification Period	Nutricia
PhenylAde MTE Amino Acid Blend	Metabolic	Phenylalanine-free, nutritionally incomplete; for oral or tube feeding; 313 cal per 100 g powder; not for infants under 1 year of age. Available in PWD.	Phenylketonuria (PKU) Can only be issued to women and children. Initial request requires State Agency approval and metabolic prescription form. Renewals require RD/SA approval and metabolic prescription form.	1 Certification Period	Nutricia
Phlexy - 10 Drink Mix	Metabolic	Phenylalanine, vitamin, mineral, and fat-free; nutritionally incomplete; not intended for infants under 1 year of age. Available in PWD.	Phenylketonuria (PKU) in children over age 1 and adults Can only be issued to women and children. Initial request requires State Agency approval and metabolic prescription form. Renewals require RD/SA approval and metabolic prescription form.	1 Certification Period	Nutricia
PKU 2	Metabolic	Phenylalanine-free; nutritionally incomplete. Available in PWD.	Hyperphenylalaninemia, including PKU in toddlers and children Can only be issued to women and children. Initial request requires State Agency approval and metabolic prescription form. Renewals require RD/SA approval and metabolic prescription form.	1 Certification Period	Nutricia
PKU 3	Metabolic	Phenylalanine-free; nutritionally incomplete. Available in PWD.	Hyperphenylalaninemia, including PKU in older children or adults Can only be issued to women and children. Initial request requires State Agency approval and metabolic prescription form. Renewals require RD/SA approval and metabolic prescription form.	1 Certification Period	Nutricia
PKU Periflex Early	Metabolic	Phenylalanine-free with DHA/ARA and prebiotic blend. 13.5 g of pretein equivalent per 100 g powder. Available in PWD.	Phenylketonuria (PKU) in infants or young children. Initial request requires State Agency approval and metabolic prescription form. Renewals require RD/SA approval and metabolic prescription form.	1 Certification Period	Nutricia

TEXAS WIC FORMULARY AND MEDICAL REASONS FOR ISSUANCE
APRIL 2016

Formula Name	Category	Description	Reasons for Issuance	Maximum Length of Issuance	Manufacturer
Polycal	Modular	Concentrated maltodextrin; Nutritionally incomplete, 1 scoop = 5 g or 20 cal. Available in PWD.	1) Medical conditions requiring high energy with low fluid volume 2) Inborn errors of metabolism. Limit issuance to no more than 3 cans/month. Requires State Agency approval.	1 Certification Period	Nutricia
Portagen	Special Medical Conditions	30 cal/oz, milk-based, lactose-free; nutritionally incomplete; for oral or tube feeding; 87% of fat is MCT oil. Long-term use may lead to essential fatty acid deficiency; not recommended for infants under 1. Similar to Monogen. Available in PWD.	1) Chylothorax 2) Conditions which involve inefficient digestion or absorption of conventional fat and long chain fatty acid oxidation disorders, e.g., decreased pancreatic lipase, decreased bile salts, defective mucosal fat absorption, and/or defective lymphatic anomalies, hyperlipoproteinemia type 1, or long chain 3-hydroxyacyl-CoA dehydrogenase deficiency (LCHAD). 3) Conditions requiring high MCT oil	1 Certification Period	Mead Johnson
Pregestimil 24	Protein Hydrolysate	24 cal/oz, hypoallergenic, lactose, sucrose, and galactose-free, casein hydrolysate; nutritionally complete; 55% of fat is MCT oil; appropriate for infants with galactosemia. Available in RTU.	Increased calorie needs and malabsorption and/or one of the following: 1) Gastrointestinal Disorders such as cystic fibrosis (CF), short bowel syndrome(SBS), bile acid deficiency, intractable diarrhea, etc. 2) Allergy or sensitivity to milk and/or soy protein or to intact protein 3) Food protein-induced enterocolitis syndrome (FPIES) 4) Severe protein calorie malnutrition Requires State Agency approval.	1 Certification Period	Mead Johnson
Pregestimil DHA/ARA	Protein Hydrolysate	20cal/oz, hypoallergenic, lactose, sucrose, and galactose-free; casein hydrolysate; nutritionally complete; 55% of fat is MCT oil; appropriate for infants with galactosemia. Some similarities to Alfamino, Alimentum and Nutramigen. Powder should be measured with packed, level scoop. Available in PWD, RTU.	Malabsorption and/or one of the following: 1) Gastrointestinal Disorders such as cystic fibrosis (CF), short bowel syndrome (SBS), bile acid deficiency, intractable diarrhea, etc. 2) Allergy or sensitivity to milk and/or soy protein or to intact protein 3) Food protein-induced enterocolitis syndrome (FPIES) 4) Severe protein-calorie malnutrition. RTU may be issued for intolerance to powder, if the RTU form improves compliance, or better accommodates the infants condition.	1 Certification Period	Mead Johnson

TEXAS WIC FORMULARY AND MEDICAL REASONS FOR ISSUANCE

APRIL 2016

Formula Name	Category	Description	Reasons for Issuance	Maximum Length of Issuance	Manufacturer
Promote	Increased Calorie Supplement	30 cal/oz, lactose-free, very high-protein formula; nutritionally complete; for oral or tube feeding; 19% of fat is MCT oil; 14.8 g soy protein/8 oz can. Available in RTU.	1) Pressure ulcers 2) At risk for protein-energy malnutrition 3) Low caloric and/or wound healing needs 4) Other chronic illnesses that may require increased protein needs relative to their estimated calorie requirements Can only be issued to women and children. Requires State Agency approval.	1 Certification Period	Abbott
Promote w/Fiber	Increased Calorie Supplement	30 cal/oz, lactose-free, very high-protein formula with fiber; nutritionally complete, for oral or tube feeding; 19% of fat is MCT oil; 3.4 g fiber and 14.8 g soy protein/8 oz can. Available in RTU.	1) Pressure ulcers and/or need for additional fiber 2) At risk for protein-energy malnutrition and/or need for additional fiber 3) Low caloric and/or wound healing needs and/or need for additional fiber 4) Other chronic illnesses that may require increased protein needs relative to their estimated calorie requirements Can only be issued to women and children. Requires State Agency approval.	1 Certification Period	Abbott
Pro-Phree	Special Medical Conditions	Protein and lactose-free; nutritionally incomplete; provides 49% of energy as fat; supplemented with L-carnitine and taurine. 1 Tbsp = 8 g, 1 C = 120 g. Available in PWD.	Medical condition with a need for reduced protein intake in infants or toddlers Requires State Agency approval.	1 Certification Period	Abbott
Propimex 1	Metabolic	Methionine, valine and lactose-free; low in isoleucine and threonine; nutritionally incomplete; for infants and toddlers. Available in PWD.	Propionic or methylmalonic acidemia in infants or toddlers Initial request requires State Agency approval and metabolic prescription form. Renewals require RD/SA approval and metabolic prescription form.	1 Certification Period	Abbott
Propimex 2	Metabolic	Methionine, valine, and lactose-free; low in isoleucine and threonine; for children and adults. Available In PWD.	Propionic or methylmalonic acidemia Can only be issued to women and children. Initial request requires State Agency approval and metabolic prescription form. Renewals require RD/SA approval and metabolic prescription form.	1 Certification Period	Abbott

TEXAS WIC FORMULARY AND MEDICAL REASONS FOR ISSUANCE

APRIL 2016

Formula Name	Category	Description	Reasons for Issuance	Maximum Length of Issuance	Manufacturer
ProSobee	Soy-Based Infant Formula	20 cal/oz, milk, lactose, sucrose, and galactose-free soy formula; similar to Similac Soy Isomil and Good Start Soy. Available in PWD, CON, RTU.	<p>Documented intolerance to contract formula (Gerber Good Start Soy) and cow's milk allergy, lactose intolerance, galactosemia or vegan diet WITH:</p> <ol style="list-style-type: none"> 1) Chronic or acute medical diagnosis/condition such as: neurological, heart/cardiovascular, respiratory, intestinal disorder (other than allergy or malabsorption), GERD, and syndromes 2) Weight loss, failure to gain weight, or Failure to Thrive (FTT) that is evidenced by growth chart information (weight/length \leq 10th percentile), drop in 2 major percentiles on the growth chart 3) Recent hospitalization, recent recovery from or current serious illness (flu, RSV, pneumonia, etc.), recent or pending surgery, and/or recent placement in foster care 4) Severe intolerance symptoms such as vomiting, diarrhea, and blood in the stool that persists after trying available contract formulas <p>Over age 1 with medical need for soy-based product. Possible reasons include:</p> <ol style="list-style-type: none"> 1) Cow's milk allergy or intolerance 2) Galactosemia 3) Vegan diet. <p>RTU only allowed for unsafe or unsanitary water supply or inability to correctly dilute powder or concentrate. Contact SA pager for medically fragile infants.</p>	3 months	Mead Johnson
Pulmocare	Special Medical Conditions	45 cal/oz, high-calorie, low-carbohydrate, lactose-free formula; for oral or tube feedings; 20% of fat is MCT oil. Available in RTU.	<p>Respiratory problems such as COPD (Chronic obstructive pulmonary disease), cystic fibrosis (CF), acute respiratory failure, or ventilator-dependency</p> <p>Can only be issued to women and children. Requires State Agency Approval.</p>	1 Certification Period	Abbott
PurAmino	Elemental	20 cal/oz, hypoallergenic; lactose, sucrose, soy, and galactose-free; 100% free amino acids; 14.3 g protein equivalents/100 g powder. Formerly known as Nutramigen AA. Standard mixing is 1 unpacked level scoop of powder to 1 oz water. Available in PWD.	<ol style="list-style-type: none"> 1) Severe malabsorption, GI impairment or medical condition requiring an elemental formula such as: short bowel syndrome (SBS), necrotizing enterocolitis (NEC), eosinophilic esophagitis (EoE), etc. 2) Food allergies, e.g., allergy to cow's milk, soy, and/or intact protein. <p>Note: A protein hydrolysate (Extensive HA, Nutramigen, Alimentum, or Pregestimil) should be tried before issuing unless medically contraindicated.</p>	1 Certification Period	Mead Johnson

TEXAS WIC FORMULARY AND MEDICAL REASONS FOR ISSUANCE

APRIL 2016

Formula Name	Category	Description	Reasons for Issuance	Maximum Length of Issuance	Manufacturer
PurAmino Toddler	Elemental	30 cal/oz, hypoallergenic, 100% free amino acids; contains DHA. Standard mixing is 1 unpacked scoop of powder to 1 oz water. Similar to Alfamino Jr., Elecare Jr. and Neocate Jr. Available in PWD.	1) Severe malabsorption, GI impairment or medical condition requiring an elemental formula such as: short bowel syndrome (SBS), necrotizing enterocolitis (NEC), eosinophilic esophagitis (EoE), etc. 2) Food allergies, e.g., allergy to cow's milk, soy, and/or intact protein.	1 Certification Period	Mead Johnson
RCF (Ross Carbohydrate Free)	Special Medical Conditions	20 cal/oz, carbohydrate and lactose free, soy protein; carbohydrate source must be added separately. Available in CON.	Non-metabolic reason: Seizure disorders requiring a ketogenic diet Metabolic reasons: Carbohydrate intolerance. Initial request requires state approval and metabolic prescription form. Renewals require RD/SA approval and metabolic prescription form.	1 Certification Period	Abbott
Renalcal	Special Medical Conditions	60 cal/oz, high calorie, low-electrolyte, lactose-free; nutritionally incomplete; 70% of fat is MCT oil. Available in RTU.	Renal failure Can only be issued to women and children.	1 Certification Period	Nestle
Renastart	Special Medical Conditions	30 cal/oz, low levels of milk protein, calcium, potassium, phosphorus and vitamin A. Available in PWD.	Renal disease in infants and children.	1 Certification Period	Vitaflo
Replete w/Fiber	Increased Calorie Supplement	30 cal/oz, high-protein, lactose-free with fiber; 25% of calories as protein; 25% of fat is MCT oil; 3.5 g fiber/250 mL container. Available in RTU.	1) Medical conditions requiring high protein for wound healing, pressure ulcers, burns, and surgical wounds 2) Medical conditions requiring fiber for bowel function Can only be issued to women and children. Requires State Agency approval.	1 Certification Period	Nestle
Resource 2.0	Increased Calorie Supplement	60 cal/oz, lactose-free, calorically dense, high-nitrogen, with reduced sodium; similar to TwoCal HN, and Nutren 2.0. Available in RTU.	1) Fluid restriction 2) Increased protein and caloric needs Can only be issued to women and children. Requires State Agency approval.	1 Certification Period	Nestle

TEXAS WIC FORMULARY AND MEDICAL REASONS FOR ISSUANCE

APRIL 2016

Formula Name	Category	Description	Reasons for Issuance	Maximum Length of Issuance	Manufacturer
Scandishake	Increased Calorie Supplement	75 cal/oz when mixed with whole milk; nutritionally incomplete. Available in PWD.	1) Medical conditions that increase calorie needs 2) Medical conditions with need to gain weight or maintain weight Can only be issued to women and children.	1 Certification Period	Aptalis
Scandishake w/Aspartame	Increased Calorie Supplement	75 cal/oz when mixed with whole milk; nutritionally incomplete, sweetened with aspartame. Available in PWD.	1) Medical conditions that increase calorie needs 2) Medical conditions with need to gain weight or maintain weight Can only be issued to women and children.	1 Certification Period	Aptalis
Scandishake Lactose Free	Increased Calorie Supplement	65 cal/oz when mixed with soy beverage; lactose-free; nutritionally incomplete. Available in PWD.	1) Medical conditions that increase calorie needs 2) Medical conditions with need to gain weight or maintain weight Can only be issued to women and children.	1 Certification Period	Aptalis
Similac Advance	Milk-Based Infant Formula	20 cal/oz, milk-based with prebiotic GOS (Galacto-oligosaccharides); similar to Enfamil Infant. Available in PWD, CON, RTU.	Current contract standard milk-based infant formula. Refer to Policy FD:13.0. Over age 1 with medical need for a milk-based product. Possible reasons include: 1) Prematurity 2) Developmental delay 3) Oral-motor feeding problems RTU only allowed for unsafe or unsanitary water supply or inability to correctly dilute powder or concentrate. Contact SA pager for medically fragile infants. No RX when <1 year of age. RX when >1 year of age.	1 Certification Period	Abbott
Similac for Diarrhea	Special Medical Conditions	20 cal/oz, lactose-free, soy protein with added soy fiber (6 g/L) for infants; for management of diarrhea; low osmolality: 240 mOsm/kg water. Available in RTU.	Short-term diarrhea Similac (Expert Care) for Diarrhea is to be used for a short duration - no longer than 10 days.	1 Month	Abbott

TEXAS WIC FORMULARY AND MEDICAL REASONS FOR ISSUANCE

APRIL 2016

Formula Name	Category	Description	Reasons for Issuance	Maximum Length of Issuance	Manufacturer									
Similac Go & Grow Milk	Special Medical Conditions	19 cal/oz milk-based with added calcium, phosphorus, and DHA/ARA. Similar to Graduates Gentle. Available in PWD.	Over age 1 with medical need for a milk-based product. Possible reasons include: 1) Prematurity 2) Developmental delay 3) Oral-motor feeding problems Can only be issued to women and children.	1 Certification Period	Abbott									
Similac Human Milk Fortifier (SHMF)	Premature/LBW	Supplement for mother's milk collected after 2 weeks postpartum; similar to Enfamil HMF; nutritionally incomplete. Not intended for use after infant reaches 8 lbs (3600 g) in weight. Available in PWD.	Fortification of human breast milk for premature/low birth weight babies <table border="0" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 33%;">Additional Calories Desired</td> <td style="width: 33%;">Preterm Human Milk</td> <td style="width: 33%;">HMF</td> </tr> <tr> <td>2 cal/ fl oz</td> <td>50 mL</td> <td>1 packet</td> </tr> <tr> <td>4 cal/ fl oz</td> <td>25 mL</td> <td>1 packet</td> </tr> </table> Requires State Agency approval.	Additional Calories Desired	Preterm Human Milk	HMF	2 cal/ fl oz	50 mL	1 packet	4 cal/ fl oz	25 mL	1 packet	1 Month	Abbott
Additional Calories Desired	Preterm Human Milk	HMF												
2 cal/ fl oz	50 mL	1 packet												
4 cal/ fl oz	25 mL	1 packet												
Similac PM 60/40	Special Medical Conditions	20 cal/oz, (60:40) whey:casein ratio, lower in iron and other minerals and electrolytes; additional iron should be supplied from other sources. Available in PWD.	1) Hypocalcemia due to hyperphosphatemia 2) Renal condition requiring lowered mineral level	1 Certification Period	Abbott									

TEXAS WIC FORMULARY AND MEDICAL REASONS FOR ISSUANCE
APRIL 2016

Formula Name	Category	Description	Reasons for Issuance	Maximum Length of Issuance	Manufacturer
Similac Sensitive	Milk-Based Infant Formula	19 cal/oz, low-lactose, milk-based with prebiotic GOS (Galacto-oligosaccharides); not intended for infants or children with galactosemia. Available in PWD, RTU.	<p>REQUIRES A MEDICAL REQUEST. Documented intolerance to Similac Advance with spitting up and/or reflux or other intolerance symptoms. A waiver for the Similac Advance trial is permitted for participants with serious medical contraindications such as: a chronic or acute medical condition, recent hospitalization or surgery, weight loss, failure to gain weight or failure to thrive. Documentation is required.</p> <p>Over age 1 with medical need for a milk-based product. Possible reasons include:</p> <ol style="list-style-type: none"> 1) Prematurity 2) Developmental delay 3) Oral-motor feeding problems <p>Current contract low lactose, milk-based formula. Refer to Policy FD: 13.0. RTU only allowed for unsafe or unsanitary water supply or inability to correctly dilute powder or concentrate. Contact SA pager for medically fragile infants.</p>	1 Certification Period	Abbott

TEXAS WIC FORMULARY AND MEDICAL REASONS FOR ISSUANCE

APRIL 2016

Formula Name	Category	Description	Reasons for Issuance	Maximum Length of Issuance	Manufacturer
Similac Soy Isomil	Soy-Based Infant Formula	20 cal/oz, lactose-free, soy-based. Similar to ProSobee and Good Start Soy. Available in PWD, CON, RTU.	<p>Documented intolerance to contract formula (Gerber Good Start Soy) and cow's milk allergy, lactose intolerance, galactosemia or vegan diet WITH:</p> <ol style="list-style-type: none"> 1) Chronic or acute medical diagnosis/condition such as: neurological, heart/cardiovascular, respiratory, intestinal disorder (other than allergy or malabsorption), GERD, and syndromes 2) Weight loss, failure to gain weight, or Failure to Thrive that is evidenced by growth chart information (weight/length ≤ 10th percentile), drop in 2 major percentiles on the growth chart 3) Recent hospitalization, recent recovery from or current serious illness (flu, RSV, pneumonia, etc.), recent or pending surgery, and/or recent placement in foster care 4) Severe intolerance symptoms such as vomiting, diarrhea, and blood in the stool that persists after trying available contract formulas <p>After 3 months retrial on a contract formula unless medically contraindicated.</p> <p>Over age 1 with medical need for soy-based product. Possible reasons include:</p> <ol style="list-style-type: none"> 1) Cow's milk allergy or intolerance 2) Galactosemia 3) Vegan diet. <p>RTU only allowed for unsafe or unsanitary water supply or inability to correctly dilute powder or concentrate. Contact SA pager for medically fragile infants.</p>	3 months	Abbott
Similac for Spit-Up	Milk-Based Infant Formula	19 cal/oz, low-lactose, milk-based with rice starch; not intended for infants or children with galactosemia; similar to Enfamil AR. Available in PWD, RTU.	<p>REQUIRES A MEDICAL REQUEST. Documented intolerance to Similac Advance with spitting up and/or reflux or other intolerance symptoms. A waiver for the Similac Advance trial is permitted for participants with serious medical contraindications such as: a chronic or acute medical condition, recent hospitalization or surgery, weight loss, failure to gain weight or failure to thrive. Documentation is required.</p> <p>Over age 1 with medical need for 19 cal/oz formula; possible reasons include: prematurity, developmental delay, or oral motor feeding problems</p> <p>Current contract rice starch-added, milk-based formula. Refer to Policy FD: 13.0.</p> <p>RTU only allowed for unsafe or unsanitary water supply or inability to correctly dilute powder or concentrate. Contact SA pager for medically fragile infants.</p>	1 Certification Period	Abbott

TEXAS WIC FORMULARY AND MEDICAL REASONS FOR ISSUANCE
APRIL 2016

Formula Name	Category	Description	Reasons for Issuance	Maximum Length of Issuance	Manufacturer
Similac Special Care 20 w/Iron	Premature/LBW	20 cal/oz, preterm; not intended for feeding LBW infants after they reach a weight of 8 pounds or consume 16-24 oz in 24 hours.	Prematurity and low birth weight (LBW) Requires State Agency approval.	1 Month	Abbott
Similac Special Care 24 w/Iron	Premature/LBW	24 cal/oz, preterm; 50% of fat is MCT oil; not intended for feeding LBW infants after they reach a weight of 8 pounds or consume 16-24 oz in 24 hours.	Prematurity and low birth weight (LBW) Requires State Agency approval.	1 Month	Abbott
Similac Special Care 24 High Protein w/Iron	Premature/LBW	24 cal/oz, preterm; 3.3 g of protein /100 cal; not intended for feeding LBW infants after they reach a weight of 8 pounds (or consume 16-24 oz in 24 hours).	Prematurity and low birth weight (LBW) with need for increased protein. Requires State Agency approval.	1 Month	Abbott
Similac Special Care 30	Premature/LBW	30 cal/oz, preterm; 50% of fat is MCT oil; can be mixed with human milk as a fortifier or an extender; not intended for feeding LBW infants after they reach a weight of 8 pounds or consume 16-24 oz in 24 hours. Available in RTU.	Prematurity and low birth weight (LBW) Requires State Agency approval.	1 Month	Abbott

TEXAS WIC FORMULARY AND MEDICAL REASONS FOR ISSUANCE

APRIL 2016

Formula Name	Category	Description	Reasons for Issuance	Maximum Length of Issuance	Manufacturer
Similac Total Comfort	Milk-Based Infant Formula	19 cal/oz, milk-based with prebiotic Galacto-oligosaccharides (GOS); 2% lactose; partially hydrolyzed 100% whey; similar to Gentlease and Good Start Soothe. Available in PWD.	REQUIRES A MEDICAL REQUEST. Documented intolerance to Similac Advance with digestive issues and/or colic or other intolerance symptoms. A waiver for the Similac Advance trial is permitted for participants with serious medical contraindications such as: a chronic or acute medical condition, recent hospitalization or surgery, weight loss, failure to gain weight or failure to thrive. Documentation is required. Over age 1 with medical need for a milk-based product. Possible reasons include: 1) Prematurity 2) Developmental delay 3) Oral-motor feeding problems Current contract partially hydrolyzed, milk-based formula. Refer to Policy FD: 13.0.	1 Certification Period	Abbott
SOD Anamix Early	Metabolic	Methionine, cysteine-free with prebiotic fiber. Available in PWD.	Sulfite oxydase deficiency in infants and young children. Initial request requires State Agency approval and metabolic prescription form. Renewals require RD/SA approval and metabolic prescription form.	1 Certification Period	Nutricia
Suplena	Special Medical Conditions	54 cal/oz, low in protein, phosphorus, potassium and sodium. High-calorie, lactose-free diet; nutritionally complete with fiber and prebiotics; for oral or tube feeding. Available in RTU.	1) Chronic kidney disease (stage 3 and 4) 2) Medical condition requiring a diet restricted in protein, electrolytes, and fluids Can only be issued to women and children.	1 Certification Period	Abbott
Tolerex	Elemental	30 cal/oz, lactose-free, low fat, elemental with 100% free amino acids; nutritionally complete. Available in PWD.	Impaired digestion and absorption, e.g., severe protein and/or fat malabsorption. Specialized nutrient needs such as food allergies.	1 Certification Period	Nestle
TwoCal HN	Increased Calorie Supplement	60 cal/oz, high-calorie, high-nitrogen, lactose-free; nutritionally complete; for oral or tube feeding; similar to Nutren 2.0. Available in PWD.	Elevated protein and calorie needs requiring low-volume feedings Can only be issued to women and children. Requires State Agency approval.	1 Certification Period	Abbott

TEXAS WIC FORMULARY AND MEDICAL REASONS FOR ISSUANCE
APRIL 2016

Formula Name	Category	Description	Reasons for Issuance	Maximum Length of Issuance	Manufacturer
TYR 2	Metabolic	Mixture of L-amino acids; phenylalanine and tyrosine-free; nutritionally incomplete; intended for children and adults. Available in PWD.	1) Tyrosinemia type I, inherited 2) Tyrosinemia type II, due to tyrosine amino-transferase deficiency (Richner-Hanhart Syndrome) Can only be issued to women and children. Initial request requires State Agency approval and metabolic prescription form. Renewals require RD/SA approval and metabolic prescription form.	1 Certification Period	Nutricia
TYR Anamix Early	Metabolic	Tyrosine and phenylalanine-free with DHA/ARA. 13.5 g of protein equivalent per 100 g. Available in PWD.	Tyrosinemia in infants and young children. Initial request requires State Agency approval and metabolic prescription form. Renewals require RD/SA approval and metabolic prescription form.	1 Certification Period	Nutricia
TYR Anamix Next	Metabolic	34.7 cal/9 g scoop; Phenylalanine and tyrosine free with DHA & multi-fiber blend 29% soluble and 71% insoluble); 90% DHA & 100% Vit D in 20 g of protein. Nutritionally incomplete. Available in PWD.	Tyrosinemia over age 1 Can only be issued to women and children. Initial request requires State Agency approval and a metabolic prescription form. Renewals require RD/SA approval and metabolic prescription form.	1 Certification Period	Nutricia
Tyrex 1	Metabolic	Phenylalanine, tyrosine and lactose-free; nutritionally incomplete; for infants and toddlers; 15 g protein equivalents/100 g powder. Available in PWD.	Tyrosinemia type I, II, or III Initial request requires State Agency approval and metabolic prescription form. Renewals require RD/SA approval and metabolic prescription form.	1 Certification Period	Abbott
Tyrex 2	Metabolic	Phenylalanine, tyrosine and lactose-free; nutritionally incomplete; for children and adults; 30 g protein equivalents/100 g powder. Available in PWD.	Tyrosinemia type I, II, or III Can only be issued to women and children. Initial request requires State Agency approval and metabolic prescription form. Renewals require RD/SA approval and metabolic prescription form.	1 Certification Period	Abbott

TEXAS WIC FORMULARY AND MEDICAL REASONS FOR ISSUANCE
APRIL 2016

Formula Name	Category	Description	Reasons for Issuance	Maximum Length of Issuance	Manufacturer
TYROS 1	Metabolic	Phenylalanine, tyrosine, lactose and galactose-free; nutritionally incomplete; 16.7 g protein equivalents/100 g powder; intended for infants and toddlers. Available in PWD.	Tyrosinemia or other inborn errors of tyrosine metabolism Initial request requires State Agency approval and metabolic prescription form. Renewals require RD/SA approval and metabolic prescription form.	1 Certification Period	Mead Johnson
TYROS 2	Metabolic	Phenylalanine, tyrosine, lactose and galactose-free formula; nutritionally incomplete; 22 g protein equivalents/100 g powder; intended for children and adults. Available in PWD.	Tyrosinemia or other inborn errors of tyrosine metabolism Can only be issued to women and children. Initial request requires State Agency approval and metabolic prescription form. Renewals require RD/SA approval and metabolic prescription form.	1 Certification Period	Mead Johnson
UCD 2	Metabolic	Mixture of all essential L-amino acids; nutritionally incomplete; intended for children and adults. Available in PWD.	1) Carbamylphosphate synthetase deficiency 2) Ornithine transcarbamylase deficiency 3) Citrullinemia or argininosuccinic acid synthetase deficiency 4) Argininosuccinic acid lyase deficiency, arginase deficiency Can only be issued to women and children. Initial request requires State Agency approval and metabolic prescription form. Renewals require RD/SA approval and metabolic prescription form.	1 Certification Period	Nutricia

TEXAS WIC FORMULARY AND MEDICAL REASONS FOR ISSUANCE

APRIL 2016

Formula Name	Category	Description	Reasons for Issuance	Maximum Length of Issuance	Manufacturer
UCD Anamix Jr.	Metabolic	0.6 g protein (19.2 calories) in 5 g powder; essential amino acids and branched chain amino acids for positive nitrogen balance, non-protein calories, calcium, vitamin D, and zinc; nutritionally incomplete; not for infants under 1 year of age. Available in PWD.	Medical condition of Urea Cycle Disorder (UCD), hyperammonemia, hyperonithinemia, homocitrullinemia (HHH), and gyrate atrophy Can only be issued to women and children. Initial request requires State Agency approval and metabolic prescription form. Renewals require RD/SA approval and metabolic prescription form.	1 Certification Period	Nutricia
Vital HN	Increased Calorie Supplement	30 cal/oz, high-nitrogen, low-fat, partially hydrolyzed protein; nutritionally complete; for oral or tube feeding; <0.25 g lactose per packet. Available in PWD.	Chronically impaired gastrointestinal function, such as maldigestion or malabsorption Can only be issued to women and children.	1 Certification Period	Abbott
Vivonex Pediatric	Elemental	24 cal/oz, lactose-free, nutritionally complete elemental; with 100% free amino acids; contains 68% MCT oil; for oral or tube feeding. Available in PWD.	GI impairment in infants or children, e.g., Crohn's disease, short bowel disease, malabsorption, intractable diarrhea or as a transition from TPN. System will not allow formula to be issued <9 months of age.	1 Certification Period	Nestle
Vivonex Plus	Elemental	30 cal/oz, lactose-free, high-nitrogen, low-fat, elemental, 100% free amino acids; nutritionally complete; for oral or tube feeding. Available in PWD.	1) Gastrointestinal-impairment including pancreatic disorders, malabsorption, and post bowel resection surgery 2) Surgery or select trauma Can only be issued to women and children.	1 Certification Period	Nestle
Vivonex T.E.N.	Elemental	30 cal/oz, lactose-free, high-nitrogen elemental; with 100% free amino acids with glutamine; for oral or tube feeding. Available in PWD.	1) Gastrointestinal-impairment including pancreatic disorders, malabsorption, and post bowel resection surgery 2) Surgery or select trauma 3) Intestinal failure Can only be issued to women and children.	1 Certification Period	Nestle

TEXAS WIC FORMULARY AND MEDICAL REASONS FOR ISSUANCE
APRIL 2016

Formula Name	Category	Description	Reasons for Issuance	Maximum Length of Issuance	Manufacturer
WND 1	Metabolic	Non-essential amino acids, lactose and galactose-free; nutritionally incomplete; 6.5 g protein equivalents/100 g powder. Available in PWD.	Urea cycle disorders in infants and toddlers Initial request requires State Agency approval and metabolic prescription form. Renewals require RD/SA approval and metabolic prescription form.	1 Certification Period	Mead Johnson
WND 2	Metabolic	Non-essential amino acids, lactose and galactose-free; nutritionally incomplete; 8.2 g protein equivalents/100 g powder. Available in PWD.	Urea cycle disorders in children and adults Can only be issued to women and children. Initial request requires State Agency approval and metabolic prescription form. Renewals require RD/SA approval and metabolic prescription form.	1 Certification Period	Mead Johnson
XLeu Analog	Metabolic	Leucine-free; nutritionally incomplete; 13 g protein equivalents/100 g powder. Available in PWD.	Isovaleric acidemia and other disorders of leucine metabolism in infants Initial request requires State Agency approval and metabolic prescription form. Renewals require RD/SA approval and metabolic prescription form.	1 Certification Period	Nutricia
XLeu Maxamaid	Metabolic	Leucine and fat-free; nutritionally incomplete; 25 g protein equivalents/100 g powder. Available in PWD.	Isovaleric acidemia and other disorders of leucine metabolism in toddlers and children System will not allow formula to be issued <9 months of age. Initial request requires State Agency approval and metabolic prescription form. Renewals require RD/SA approval and metabolic prescription form.	1 Certification Period	Nutricia
XLeu Maxamum	Metabolic	Leucine and fat-free; nutritionally incomplete; 40 g protein equivalents/100 g powder. Available in PWD.	Isovaleric acidemia and other disorders of leucine metabolism in older children and adults Can only be issued to women and children. Initial request requires State Agency approval and metabolic prescription form. Renewals require RD/SA approval and metabolic prescription form.	1 Certification Period	Nutricia
XLys, XTrp Analog	Metabolic	Lysine and tryptophan-free; nutritionally incomplete; 13 g protein equivalents/100 g powder. Available in PWD.	Glutaric acidemia type I in infants Initial request requires State Agency approval and metabolic prescription form. Renewals require RD/SA approval and metabolic prescription form.	1 Certification Period	Nutricia

TEXAS WIC FORMULARY AND MEDICAL REASONS FOR ISSUANCE

APRIL 2016

Formula Name	Category	Description	Reasons for Issuance	Maximum Length of Issuance	Manufacturer
XLys, XTrp Maxamaid	Metabolic	Lysine, tryptophan and fat-free; nutritionally incomplete; 25 g protein equivalents/100 g powder. Available in PWD.	Glutaric acidemia type I in toddlers and children System will not allow formula to be issued <9 months of age. Initial request requires State Agency approval and metabolic prescription form. Renewals require RD/SA approval and metabolic prescription form.	1 Certification Period	Nutricia
XLys, XTrp Maxamum	Metabolic	Lysine, tryptophan and fat-free; nutritionally incomplete; does not contain fat; 40 g protein equivalents/100 g powder. Available in PWD.	Glutaric acidemia type I in older children and adults Can only be issued to women and children. Initial request requires State Agency approval and metabolic prescription form. Renewals require RD/SA approval and metabolic prescription form.	1 Certification Period	Nutricia
XMet Analog	Metabolic	Methionine-free; nutritionally incomplete; 13 g protein equivalents/100 g powder; intended for infants. Available in PWD.	1) Homocystinuria (vitamin B-6 non-responsive) 2) Hyper-methioninemia Initial request requires State Agency approval and metabolic prescription form. Renewals require RD/SA approval and metabolic prescription form.	1 Certification Period	Nutricia
XMet Maxamaid	Metabolic	Methionine and fat-free; nutritionally incomplete; 25 g protein equivalents/100 g powder; intended for toddlers and young children. Available in PWD.	1) Homocystinuria (vitamin B-6 non-responsive) 2) Hypermethioninemia System will not allow formula to be issued <9 months of age. Initial request requires State Agency approval and metabolic prescription form. Renewals require RD/SA approval and metabolic prescription form.	1 Certification Period	Nutricia
XMet Maxamum	Metabolic	Methionine and fat-free; nutritionally incomplete; 40g protein equivalents/100g powder; intended for older children and adults. Available in PWD.	1) Homocystinuria (vitamin B-6 non-responsive) 2) Hypermethioninemia Can only be issued to women (including pregnant) and children. Initial request requires State Agency approval and metabolic prescription form. Renewals require RD/SA approval and metabolic prescription form.	1 Certification Period	Nutricia

TEXAS WIC FORMULARY AND MEDICAL REASONS FOR ISSUANCE
APRIL 2016

Formula Name	Category	Description	Reasons for Issuance	Maximum Length of Issuance	Manufacturer
XMTVI Analog	Metabolic	Methionine, threonine, valine-free, low isoleucine; nutritionally incomplete; 13 g protein equivalents/100 g powder; intended for infants. Available in PWD.	1) Methylmalonic acidemia (vitamin B-12 non-responsive) for infants 2) Propionic acidemia Initial request requires State Agency approval and metabolic prescription form. Renewals require RD/SA approval and metabolic prescription form.	1 Certification Period	Nutricia
XMTVI Maxamaid	Metabolic	Methionine, threonine, valine and fat-free, low isoleucine; nutritionally incomplete; 25 g protein equivalents/100 g powder; intended for toddlers and young children. Available in PWD.	1) Methylmalonic acidemia (vitamin B-12 non-responsive) 2) Propionic acidemia System will not allow formula to be issued <9 months of age. Initial request requires State Agency approval and metabolic prescription form. Renewals require RD/SA approval and metabolic prescription form.	1 Certification Period	Nutricia
XMTVI Maxamum	Metabolic	Methionine, threonine, valine and fat-free, low isoleucine; nutritionally incomplete; 40 g protein equivalents/100 g powder; intended for older children and adults. Available in PWD.	1) Methylmalonic acidemia (vitamin B-12 non-responsive) 2) Propionic acidemia Can only be issued to women and children. Initial request requires State Agency approval and metabolic prescription form. Renewals require RD/SA approval and metabolic prescription form.	1 Certification Period	Nutricia
XPhe Maxamaid	Metabolic	Phenylalanine and fat-free; nutritionally incomplete; 25 g protein equivalents/100 g powder; intended for toddlers and young children. Available in PWD.	Phenylketonuria (PKU) System will not allow formula to be issued <9 months of age. Initial request requires State Agency approval and metabolic prescription form. Renewals require RD/SA approval and metabolic prescription form.	1 Certification Period	Nutricia

TEXAS WIC FORMULARY AND MEDICAL REASONS FOR ISSUANCE

APRIL 2016

Formula Name	Category	Description	Reasons for Issuance	Maximum Length of Issuance	Manufacturer
XPhe Maxamum	Metabolic	Phenylalanine-free; nutritionally incomplete; Fat-free and contains 40 g protein equivalents/100 g powder. Available in PWD.	Phenylketonuria (PKU), including maternal PKU Can only be issued to women and children. Initial request requires State Agency approval and metabolic prescription form. Renewals require RD/SA approval and metabolic prescription form.	1 Certification Period	Nutricia
XPhe, XTyr Analog	Metabolic	Phenylalanine and tyrosine-free; nutritionally incomplete; 13 g protein equivalents/100 g powder; intended for infants. Available in PWD.	Tyrosinemia Type I & Type II when plasma methionine level is normal Initial request requires State Agency approval and metabolic prescription form. Renewals require RD/SA approval and metabolic prescription form.	1 Certification Period	Nutricia
XPhe, XTyr Maxamaid	Metabolic	Phenylalanine, tyrosine and fat-free; nutritionally incomplete; 25 g protein equivalents/100 g powder; intended for toddlers and young children. Available in PWD.	Tyrosinemia Type I & II System will not allow formula to be issued <9 months of age. Requires State Agency approval and metabolic prescription form.	1 Certification Period	Nutricia